HAL
open science

Overview of model-building strategies in population PK/PD analyses: 2002-2004 literature survey.

Céline Dartois, Karl Brendel, Emmanuelle Comets, Céline M. Laffont, Christian Laveille, Brigitte Tranchand, France Mentré, Annabelle Lemenuel-Diot, Pascal Girard

To cite this version:

Céline Dartois, Karl Brendel, Emmanuelle Comets, Céline M. Laffont, Christian Laveille, et al.. Overview of model-building strategies in population PK/PD analyses: 2002-2004 literature survey.. British Journal of Clinical Pharmacology, 2007, 64 (5), pp.603-12. 10.1111/j.1365-2125.2007.02975.x . inserm-00159122

HAL Id: inserm-00159122

https://inserm.hal.science/inserm-00159122v1

Submitted on 14 Sep 2009

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Data Abstraction Form for population PK/PD publications

GENERAL CHARACTERISTICS

Brendel K.[1*], Dartois C.[2*],
Comets E.[1], Lemenuel-Diot A.[3], Laffont C.M.[3], Laveille C.[4],
Girard P.[2], Mentré F.[1]

[1]INSERM U738, Paris, France
[2]EA3738, Lyon, France
[3]SERVIER, Courbevoie, France
[4]EXPRIMO NV, Lumnen, Belgium
* the two first authors contributed equally to this Data Abstraction Form

Table of contents

ARTICLE IDENTIFICATION……...3

Date of publication (year) 3
Title 3
First author 3
Journal 3

I. CONTEXT OF THE ANALYSIS……...4

Team performing the analysis 4
Drug(s) administered 4

II. CLINICAL STUDY(ies)…….....5

Phase(s) of clinical development 5
Main objective(s) of the clinical study(ies) 5
Target population of the clinical study(ies) 5
Administration route(s) 5
Dose 6
Number of center(s) involved 6
Duration of the clinical study(ies) 6
Duration of the treatment(s) 6
Experimental design 6

ARTICLE IDENTIFICATION

***DATE OF PUBLICATION (YEAR)*……..……..... |__|__|__|__|**

***TITLE*……**

……

……

***FIRST AUTHOR*..……...……..……**

Journal

- ☐ Anesthesiology
- ☐ Antimicrobial Agents and Chemotherapy
- ☐ British Journal of Clinical Pharmacology
- ☐ Cancer Chemotherapy and Pharmacology
- ☐ Clinical Pharmacokinetics
- ☐ Clinical Pharmacology and Therapeutics
- ☐ Clinical Therapeutics
- ☐ European Journal of Cancer
- ☐ European Journal of Clinical Pharmacology
- ☐ European Journal of Drug Metabolism and Pharmacokinetics
- ☐ European Journal of Pharmaceutical sciences
- ☐ Journal of Acquired Immune Deficiency Syndromes
- ☐ Journal of Clinical Oncology
- ☐ Journal of Pharmaceutical Sciences
- ☐ Journal of Pharmacokinetics and Pharmacodynamics
- ☐ Journal of Pharmacy and Pharmacology
- ☐ Therapeutic Drug Monitoring
- ☐ Pharmacotherapy
- ☐ Other: ……..

I. CONTEXT OF THE ANALYSIS

Team performing the analysis

☐ Industry (R & D) ☐ Not reported

☐ Academic/Hospital

☐ Drug Agency

Drug(s) administered [1]

……..

……..

Therapeutic class(es) studied in this analysis [2] ☐ Not reported

☐ Antidotes ☐ Antimicrobials

☐ Antiparasitics ☐ Cardiovascular-renal

☐ Central nervous system ☐ Contrast media / Radiopharmaceuticals

☐ Gastrointestinals ☐ Hematologics

☐ Hormones / Hormonal mechanisms ☐ Immunologics

☐ Metabolics / Nutrients ☐ Neurologics

☐ Oncolytics ☐ Ophtalmics

☐ Otics ☐ Pain relief

☐ Respiratory tract ☐ Skin / Mucous membranes

☐ Other ……..

[1] International Nonproprietary Names (=DCI) (if not published, company identification number)

[2] Major classes of FDA National Drug Code Directory (http://www.fda.gov/cder/ndc/tbldclas.txt)

II. CLINICAL STUDY(ies)

Phase(s) of clinical development

- ☐ Combined studies
- ☐ Not reported
- ☐ Phase I
- ☐ Phase III
- ☐ Phase II
- ☐ Observational studies

Main objective(s) of the clinical study(ies)

- ☐ PK
- ☐ PD
- ☐ Not reported
- ☐ Dose finding
- ☐ Drug interaction
- ☐ Efficacy
- ☐ TDM
- ☐ Toxicity
- ☐ Other: ……..

Target population of the clinical study(ies)

Total number of Subjects: …….

- ☐ Adults
- ☐ Paediatrics
- ☐ Elderly
- ☐ Not reported
- ☐ Healthy volunteers
- ☐ Patients
- ☐ Special population
- ☐ Not reported

Administration route(s)

- ☐ PO
- ☐ Nasal
- ☐ Not reported
- ☐ IV (bolus)
- ☐ IV (Infusion)
- ☐ SC
- ☐ Intraperitoneal
- ☐ IM
- ☐ Transdermal
- ☐ Rectal
- ☐ Ophtalmic
- ☐ Other: ……..

Dose

☐ Single dose ☐ Multiple doses ☐ Not reported

☐ Multiple cycles

Number of center(s) involved

☐ Monocentric ☐ Not reported

☐ Multicentric

Duration of the clinical study(ies)

…… **days** ☐ Unclear ☐ Not reported

Duration of the treatment(s)

…… **days** ☐ Unclear ☐ Not reported

Experimental design

Number of Arms: …… ☐ Not reported

☐ Cohort study

if number of arms >1:

☐ Parallel group ☐ Not reported

☐ Cross-over study

Dose escalation (titration) **Yes** ☐ **No** ☐ ☐ Not reported

Randomization **Yes** ☐ **No** ☐ ☐ Not reported

Is there a comparator?

☐ None ☐ Not reported

☐ Placebo

☐ Reference treatment(s)

☐ Other, define:……

Are the design optimised with respect to the sampling times

Yes ☐ **No** ☐