



HAL
open science

BMP2 and BMP7 play antagonistic roles in feather induction.

Frédéric Michon, Loïc Forest, Elodie Collomb, Jacques Demongeot, Danielle Dhouailly

► **To cite this version:**

Frédéric Michon, Loïc Forest, Elodie Collomb, Jacques Demongeot, Danielle Dhouailly. BMP2 and BMP7 play antagonistic roles in feather induction.. *Development* (Cambridge, England), 2008, 135 (16), pp.2797-805. 10.1242/dev.018341 . inserm-00334722

HAL Id: inserm-00334722

<https://inserm.hal.science/inserm-00334722>

Submitted on 27 Oct 2008

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Figure 1. Michon et al.




Figure 2. Michon et al.




Figure 3. Michon et al.




Figure 4. Michon et al.




Figure 5. Michon et al.




Figure 6. Michon et al.




Figure 7. Michon et al.




Figure 8. Michon et al.

