








**B. Bik1p-3GFP amount at + ends and SPB**




**C. Bik1p-3GFP expression**




**A. Kip2p-3YFP localisation****B. Kip2p-3YFP + end fluorescence****C. Kip2p-3YFP localisation at Glu growing MT****D. Kip2p-3YFP localisation at Glu shrinking MT****E. Kip2p-3YFP speckles moving along Glu MT****E. Bik1p-3GFP speckles moving along Glu MT**


### A. Dyn1p-3GFP localization




### C. Dyn1p-3GFP at growing Glu MT ends




### D. Dyn1p-3GFP at shrinking Glu MT ends




### E. Dyn1p-3GFP speckles moving along a Glu MT




### B. Dyn1p-3GFP fluorescence at + ends




### F. Bik1p-3GFP fluorescence at + ends




**A** Astral MT are presents  
in *tub1-Glu bim1 $\Delta$  kip2 $\Delta$  GFP-tub1-Glu* strain




**B** Delay in spindle penetration in  
*tub1-Glu bim1 $\Delta$  kip2 $\Delta$  GFP-tub1-Glu* strain



**C** Spindle bending in the mother cell  
*tub1-Glu bim1 kip2 GFP-tub1-Glu* strain




**D** Delay in spindle penetration in the mother cell




A

Current model




B


*wt* microtubules



Glu microtubules



*KIP2* deleted microtubules



Dyn1p



Bik1p



Kip2p



Pac1p

Table 1: Microtubule length in G1 cells

Strain	<i>TUB1</i>	<i>TUB1</i> <i>bim1</i> Δ	<i>TUB1</i> <i>kip2</i> Δ	<i>TUB1</i> <i>bim1</i> Δ <i>kip2</i> Δ	<i>tub1-Glu</i>	<i>tub1-Glu</i> <i>bim1</i> Δ	<i>tub1-Glu</i> <i>kip2</i> Δ	<i>tub1-Glu</i> <i>bim1</i> Δ <i>kip2</i> Δ
Microtubule length	1.89 +/- 0.07 (n=80)	1.62 +/- 0.04 (n=123)	1.61 +/- 0.04 (n=117)	1.72 +/- 0.04 (n=185)	1.72 +/- 0.05 (n=146)	1.57 +/- 0.04 (n=130)	1.52 +/- 0.04 (n=125)	1.67 +/- 0.04 (n=158)

Microtubules were visualized with tubulin GFP fusion in haploid cells. Lengths are in μm. n: number of measured microtubules.

Table2 : Cytoplasmic microtubule dynamics

	Growth rate ( $\mu\text{m}/\text{min}$ )	Shortening rate ( $\mu\text{m}/\text{min}$ )	Catastrophe frequency	Rescue frequency	Time spent (%)			Total time (s)	+ends number MT/cell
					Growing	Shrinking	Pausing		
<i>TUB1</i>	2.26 +/-0.42 (n=30)	3.45 +/- 0.31 (n=29)	0.015	0.011	39	25	29.6	2675	2.83 +/-0.27 (n=50)
<i>TUB1 bim1</i> $\Delta$	1.97 +/-0.26 (n=55)	1.84 +/-0.23 (n=61)	0.012	0.009	27.1	30.3	39.3	5090	2.7 +/-0.26 (n=50)
<i>tub1-Glu</i>	2.38 +/-0.19 (n=34)	3.26 +/-0.51 (n=29)	0.014	0.017	42.9	23.4	26.9	2502	2.78 +/-0.25 (n=52)
<i>tub1-Glu bim1</i> $\Delta$	1.92 +/-0.77 (n=54)	1.81 +/-0.40 (n=50)	0.012	0.013	29.1	28.8	39.2	5840	2.64 +/-0.2 (n=49)

G1 microtubules were visualized with Kip2p-3YFP fusion in diploid cells. Rates of growing and shrinking are presented in  $\mu\text{m}/\text{min}$  +/- S.E.M. Frequencies of rescue and catastrophe are in events/s. n: number of events.