

	(1) 0-29 RALRP	(2) 30-59 RALRP	(3) 60-89 RALRP	(4) 90-119 RALRP	(5) 120-174 RALRP	
	p (1)vs(2)	p (2)vs(3)	p (3)vs(4)	p (4)vs(5)	p (1)vs(5)	
BMI, mean	25.9 0.95	25.9 0.95	26.3 0.68	26.1 0.85	25.9 0.82	0.94
Prostate weight, mean	51.3 0.06	37.4 0.06	43.5 0.19	47.3 0.52	46.8 0.94	0.54
pT3-4 (%)	40.0 0.27	26.7 0.27	16.7 0.35	40.0 0.05	38.2 0.87	0.87
ECE (%)	36.7 0.41	26.7 0.41	16.7 0.35	36.7 0.08	38.2 0.89	0.89
Lymph node dissection (%)	30.0 0.42	40.0 0.42	26.7 0.27	36.7 0.41	50.9 0.21	0.06
Intraoperative time, mean	180.0 0.005	145.9 0.12	134.1 0.12	126.0 0.39	133.5 0.36	<0.001
Blood loss, mean	851.7 0.004	475.0 0.11	365.9 0.11	434.5 0.39	321.5 0.13	<0.001
Transfusion rate (%)	10.0 0.61	3.3 0.61	0 1.00	3.3 1.00	1.8 1.00	0.12
Overall PSM (%)	26.7 0.57	33.3 0.57	16.7 0.14	43.3 0.02	18.2 0.01	0.36
Length of PSM, mean	10.5 0.24	4.4 0.24	5.3 0.71	10.2 0.36	4.7 0.08	0.16
Complication rate (%)	16.7 0.19	3.3 0.19	3.3 1.00	6.7 1.00	3.6 0.61	0.09
Hospital stay, mean	5.9 0.003	4.4 0.003	4.5 0.89	3.4 0.10	3.1 0.32	<0.001
Bladder catheterization, mean	8.3 0.70	8.5 0.70	8.3 0.63	11.2 0.22	7.6 0.13	0.25