

Accession number on gel	LM-hepatocytes			Liver homogenates		
	NT	T	p-value	NT	T	p-value
	average relative volume ± SEM			average relative volume ± SEM		
<b>Deregulated proteins in both tumour homogenates and LM samples</b>						
125	0.306 ± 0.058	0.515 ± 0.033	p < 0,05	0.436 ± 0.014	0.587 ± 0.024	p < 0,05
130	0.045 ± 0.002	0.118 ± 0.023	p < 0,05	0.037 ± 0.005	0.069 ± 0.003	p < 0,05
134	0.125 ± 0.033	0.337 ± 0.047	p < 0,05	0.236 ± 0.003	0.390 ± 0.032	p < 0,05
138	0.081 ± 0.018	0.313 ± 0.042	p < 0,05	0.144 ± 0.021	0.303 ± 0.002	p < 0,05
158	0.168 ± 0.022	0.463 ± 0.043	p < 0,05	0.291 ± 0.027	0.420 ± 0.021	p < 0,05
206	0.077 ± 0.005	0.110 ± 0.011	p < 0,05	0.096 ± 0.006	0.124 ± 0.006	p < 0,05
252	0.042 ± 0.009	0.106 ± 0.016	p < 0,05	0.054 ± 0.011	0.095 ± 0.010	p < 0,05
261	0.084 ± 0.039	0.195 ± 0.022	p < 0,05	0.088 ± 0.009	0.203 ± 0.020	p < 0,05
265	ND a)	0.053 ± 0.008	NC b)	0.028 ± 0.004	0.048 ± 0.006	p < 0,05
273	0.042 ± 0.010	0.070 ± 0.004	p < 0,05	0.067 ± 0.007	0.109 ± 0.006	p < 0,05
298	0.119 ± 0.027	0.246 ± 0.017	p < 0,05	0.175 ± 0.012	0.310 ± 0.015	p < 0,05
304	0.371 ± 0.019	0.548 ± 0.022	p < 0,05	0.491 ± 0.028	0.703 ± 0.064	p < 0,05
311	0.104 ± 0.021	0.205 ± 0.014	p < 0,05	0.213 ± 0.019	0.306 ± 0.020	p < 0,05
326	0.043 ± 0.004	0.183 ± 0.021	p < 0,05	0.075 ± 0.005	0.156 ± 0.019	p < 0,05
328	ND	0.145 ± 0.028	NC	0.056 ± 0.017	0.144 ± 0.027	p < 0,05
332	0.037 ± 0.005	0.070 ± 0.009	p < 0,05	0.078 ± 0.003	0.086 ± 0.003	p < 0,05
352	0.095 ± 0.029	0.256 ± 0.026	p < 0,05	0.135 ± 0.027	0.304 ± 0.002	p < 0,05
355	0.148 ± 0.010	0.277 ± 0.031	p < 0,05	0.283 ± 0.027	0.370 ± 0.015	p < 0,05
373	0.047 ± 0.001	0.185 ± 0.035	p < 0,05	0.181 ± 0.021	0.292 ± 0.020	p < 0,05
378	ND	0.058 ± 0.007	NC	0.033 ± 0.003	0.049 ± 0.006	p < 0,05
384	0.084 ± 0.004	0.150 ± 0.009	p < 0,05	0.119 ± 0.016	0.161 ± 0.019	p < 0,05
391	0.029 ± 0.001	0.060 ± 0.008	p < 0,05	0.041 ± 0.007	0.085 ± 0.008	p < 0,05
411	ND	0.036 ± 0.008	NC	ND	0.064 ± 0.012	NC
417	0.123 ± 0.007	0.325 ± 0.010	p < 0,05	0.144 ± 0.019	0.273 ± 0.022	p < 0,05
452	0.162 ± 0.035	0.309 ± 0.055	p < 0,05	0.191 ± 0.011	0.290 ± 0.006	p < 0,05
470	0.096 ± 0.015	0.157 ± 0.007	p < 0,05	0.119 ± 0.015	0.171 ± 0.016	p < 0,05
474	0.541 ± 0.058	0.867 ± 0.050	p < 0,05	0.341 ± 0.015	0.541 ± 0.072	p < 0,05
478	0.049 ± 0.004	0.141 ± 0.010	p < 0,05	0.081 ± 0.011	0.106 ± 0.006	p < 0,05
480	0.059 ± 0.004	0.132 ± 0.042	p < 0,05	0.042 ± 0.003	0.083 ± 0.013	p < 0,05
485	0.483 ± 0.078	0.709 ± 0.074	p < 0,05	0.357 ± 0.072	0.833 ± 0.071	p < 0,05
537	0.061 ± 0.005	0.126 ± 0.017	p < 0,05	0.070 ± 0.009	0.149 ± 0.004	p < 0,05
541	0.082 ± 0.009	0.197 ± 0.011	p < 0,05	0.086 ± 0.027	0.168 ± 0.027	p < 0,05
569	0.090 ± 0.013	0.138 ± 0.005	p < 0,05	0.058 ± 0.010	0.112 ± 0.014	p < 0,05
614	0.044 ± 0.008	0.181 ± 0.029	p < 0,05	0.046 ± 0.010	0.104 ± 0.006	p < 0,05
617	0.040 ± 0.005	0.093 ± 0.003	p < 0,05	0.020 ± 0.005	0.071 ± 0.009	p < 0,05
628	0.067 ± 0.004	0.230 ± 0.019	p < 0,05	0.076 ± 0.020	0.186 ± 0.030	p < 0,05
629	0.046 ± 0.004	0.171 ± 0.009	p < 0,05	0.049 ± 0.015	0.279 ± 0.045	p < 0,05
633	0.080 ± 0.026	0.537 ± 0.046	p < 0,05	0.288 ± 0.034	0.552 ± 0.087	p < 0,05
644	0.489 ± 0.024	0.682 ± 0.053	p < 0,05	0.374 ± 0.090	0.709 ± 0.091	p < 0,05
671	0.126 ± 0.009	0.421 ± 0.045	p < 0,05	0.144 ± 0.039	0.263 ± 0.020	p < 0,05
672	0.359 ± 0.050	0.516 ± 0.021	p < 0,05	0.283 ± 0.031	0.562 ± 0.075	p < 0,05
676	ND	0.020 ± 0.002	NC	ND	0.050 ± 0.009	NC
685	0.166 ± 0.013	0.428 ± 0.069	p < 0,05	0.148 ± 0.002	0.260 ± 0.009	p < 0,05
686	0.236 ± 0.009	0.261 ± 0.009	p < 0,05	0.210 ± 0.032	0.398 ± 0.074	p < 0,05
712	ND	0.052 ± 0.008	NC	0.024 ± 0.001	0.050 ± 0.007	p < 0,05
713	0.038 ± 0.014	0.087 ± 0.012	p < 0,05	0.052 ± 0.008	0.089 ± 0.003	p < 0,05
722	0.024 ± 0.006	0.042 ± 0.006	p < 0,05	ND	0.053 ± 0.002	NC
727	0.201 ± 0.039	0.591 ± 0.089	p < 0,05	0.176 ± 0.026	0.315 ± 0.037	p < 0,05
730	0.035 ± 0.003	0.053 ± 0.006	p < 0,05	0.028 ± 0.006	0.067 ± 0.006	p < 0,05
739	ND	0.134 ± 0.040	p < 0,05	0.105 ± 0.012	0.262 ± 0.027	p < 0,05
751	0.039 ± 0.004	0.058 ± 0.004	p < 0,05	0.042 ± 0.003	0.081 ± 0.006	p < 0,05
775	0.051 ± 0.001	0.071 ± 0.008	p < 0,05	0.047 ± 0.001	0.087 ± 0.004	p < 0,05
832	0.024 ± 0.003	0.049 ± 0.008	p < 0,05	0.037 ± 0.003	0.061 ± 0.004	p < 0,05

Accession number on gel	LM-hepatocytes			Total homogenates		
	NT	T	p-value	NT	T	p-value
	average relative volume $\pm$ SEM			average relative volume $\pm$ SEM		
<b>Deregulated proteins in both tumour homogenates and LM samples (continued)</b>						
19	0.046 $\pm$ 0.017	ND	NC	0.061 $\pm$ 0.011	ND	NC
31	0.130 $\pm$ 0.029	ND	NC	0.150 $\pm$ 0.020	ND	NC
43	0.098 $\pm$ 0.011	ND	NC	0.149 $\pm$ 0.032	ND	NC
48	0.047 $\pm$ 0.004	ND	NC	0.044 $\pm$ 0.006	ND	NC
60	0.067 $\pm$ 0.012	ND	NC	0.050 $\pm$ 0.007	ND	NC
99	0.092 $\pm$ 0.009	0.044 $\pm$ 0.013	p < 0,05	0.085 $\pm$ 0.009	0.021 $\pm$ 0.004	p < 0,05
109	0.196 $\pm$ 0.031	0.063 $\pm$ 0.004	p < 0,05	0.163 $\pm$ 0.006	0.077 $\pm$ 0.013	p < 0,05
121	0.123 $\pm$ 0.011	0.072 $\pm$ 0.010	p < 0,05	0.208 $\pm$ 0.017	0.100 $\pm$ 0.018	p < 0,05
122	0.168 $\pm$ 0.009	0.091 $\pm$ 0.016	p < 0,05	0.197 $\pm$ 0.033	0.080 $\pm$ 0.022	p < 0,05
139	0.055 $\pm$ 0.004	0.040 $\pm$ 0.005	p < 0,05	0.187 $\pm$ 0.021	0.043 $\pm$ 0.009	p < 0,05
141	0.455 $\pm$ 0.062	0.319 $\pm$ 0.022	p < 0,05	0.627 $\pm$ 0.011	0.462 $\pm$ 0.019	p < 0,05
145	0.314 $\pm$ 0.034	0.131 $\pm$ 0.018	p < 0,05	0.551 $\pm$ 0.009	0.377 $\pm$ 0.056	p < 0,05
150	0.100 $\pm$ 0.018	0.037 $\pm$ 0.003	p < 0,05	0.096 $\pm$ 0.009	0.055 $\pm$ 0.002	p < 0,05
159	0.133 $\pm$ 0.038	0.040 $\pm$ 0.008	p < 0,05	0.245 $\pm$ 0.024	0.090 $\pm$ 0.006	p < 0,05
161	0.214 $\pm$ 0.021	0.108 $\pm$ 0.023	p < 0,05	0.249 $\pm$ 0.029	0.148 $\pm$ 0.019	p < 0,05
181	0.213 $\pm$ 0.031	0.026 $\pm$ 0.003	p < 0,05	0.167 $\pm$ 0.026	0.080 $\pm$ 0.010	p < 0,05
183	0.106 $\pm$ 0.009	0.028 $\pm$ 0.001	p < 0,05	0.138 $\pm$ 0.014	0.080 $\pm$ 0.004	p < 0,05
204	0.119 $\pm$ 0.008	0.036 $\pm$ 0.005	p < 0,05	0.126 $\pm$ 0.007	0.077 $\pm$ 0.008	p < 0,05
208	0.238 $\pm$ 0.017	0.097 $\pm$ 0.010	p < 0,05	0.272 $\pm$ 0.030	0.206 $\pm$ 0.005	p < 0,05
241	0.983 $\pm$ 0.054	0.307 $\pm$ 0.022	p < 0,05	0.854 $\pm$ 0.106	0.499 $\pm$ 0.064	p < 0,05
249	0.164 $\pm$ 0.017	0.105 $\pm$ 0.015	p < 0,05	0.251 $\pm$ 0.018	0.154 $\pm$ 0.011	p < 0,05
274	0.124 $\pm$ 0.004	0.055 $\pm$ 0.006	p < 0,05	0.143 $\pm$ 0.018	0.059 $\pm$ 0.009	p < 0,05
277	0.413 $\pm$ 0.010	0.261 $\pm$ 0.018	p < 0,05	0.446 $\pm$ 0.039	0.302 $\pm$ 0.020	p < 0,05
301	0.361 $\pm$ 0.010	0.118 $\pm$ 0.012	p < 0,05	0.368 $\pm$ 0.040	0.133 $\pm$ 0.015	p < 0,05
306	0.120 $\pm$ 0.021	0.048 $\pm$ 0.008	p < 0,05	0.091 $\pm$ 0.022	0.029 $\pm$ 0.004	p < 0,05
307	0.132 $\pm$ 0.003	0.110 $\pm$ 0.002	p < 0,05	0.229 $\pm$ 0.002	0.160 $\pm$ 0.013	p < 0,05
309	0.397 $\pm$ 0.035	0.125 $\pm$ 0.011	p < 0,05	0.521 $\pm$ 0.040	0.072 $\pm$ 0.031	p < 0,05
358	0.070 $\pm$ 0.009	0.041 $\pm$ 0.004	p < 0,05	0.105 $\pm$ 0.004	0.061 $\pm$ 0.003	p < 0,05
407	0.084 $\pm$ 0.013	0.040 $\pm$ 0.008	p < 0,05	0.095 $\pm$ 0.006	0.052 $\pm$ 0.007	p < 0,05
428	0.069 $\pm$ 0.006	0.031 $\pm$ 0.005	p < 0,05	0.099 $\pm$ 0.015	0.022 $\pm$ 0.000	p < 0,05
437	0.147 $\pm$ 0.020	0.075 $\pm$ 0.004	p < 0,05	0.189 $\pm$ 0.006	0.112 $\pm$ 0.017	p < 0,05
438	0.136 $\pm$ 0.026	0.059 $\pm$ 0.009	p < 0,05	0.127 $\pm$ 0.016	0.068 $\pm$ 0.013	p < 0,05
455	0.342 $\pm$ 0.021	0.192 $\pm$ 0.015	p < 0,05	0.380 $\pm$ 0.037	0.239 $\pm$ 0.045	p < 0,05
510	0.167 $\pm$ 0.010	0.073 $\pm$ 0.021	p < 0,05	0.153 $\pm$ 0.019	0.084 $\pm$ 0.012	p < 0,05
513	0.337 $\pm$ 0.027	0.088 $\pm$ 0.033	p < 0,05	0.236 $\pm$ 0.011	0.120 $\pm$ 0.009	p < 0,05
515	0.340 $\pm$ 0.067	0.113 $\pm$ 0.029	p < 0,05	0.309 $\pm$ 0.003	0.154 $\pm$ 0.013	p < 0,05
525	0.190 $\pm$ 0.016	0.078 $\pm$ 0.006	p < 0,05	0.130 $\pm$ 0.007	0.073 $\pm$ 0.001	p < 0,05
534	0.141 $\pm$ 0.005	0.051 $\pm$ 0.001	p < 0,05	0.112 $\pm$ 0.013	0.050 $\pm$ 0.008	p < 0,05
603	0.156 $\pm$ 0.010	0.072 $\pm$ 0.001	p < 0,05	0.088 $\pm$ 0.001	0.066 $\pm$ 0.007	p < 0,05
755	0.045 $\pm$ 0.002	0.027 $\pm$ 0.001	p < 0,05	0.061 $\pm$ 0.005	0.038 $\pm$ 0.003	p < 0,05
756	0.051 $\pm$ 0.007	0.029 $\pm$ 0.004	p < 0,05	0.063 $\pm$ 0.005	0.035 $\pm$ 0.002	p < 0,05
895	0.090 $\pm$ 0.006	0.017 $\pm$ 0.002	p < 0,05	0.218 $\pm$ 0.015	0.038 $\pm$ 0.005	p < 0,05
<b>Deregulated proteins in tumour LM samples</b>						
108	0.045 $\pm$ 0.005	0.132 $\pm$ 0.028	p < 0,05	0.125 $\pm$ 0.026	0.111 $\pm$ 0.003	NS
124	ND	0.077 $\pm$ 0.025	NC	0.035 $\pm$ 0.008	0.044 $\pm$ 0.003	NS
147	0.078 $\pm$ 0.005	0.251 $\pm$ 0.058	p < 0,05	0.479 $\pm$ 0.103	0.320 $\pm$ 0.019	NS
152	ND	0.132 $\pm$ 0.011	NC	0.123 $\pm$ 0.009	0.110 $\pm$ 0.021	NS
156	0.312 $\pm$ 0.087	0.677 $\pm$ 0.085	p < 0,05	0.657 $\pm$ 0.103	0.727 $\pm$ 0.017	NS
209	0.046 $\pm$ 0.004	0.186 $\pm$ 0.025	p < 0,05	0.142 $\pm$ 0.024	0.133 $\pm$ 0.020	NS
246	ND	0.068 $\pm$ 0.014	NC	0.051 $\pm$ 0.009	0.055 $\pm$ 0.002	NS
303	0.277 $\pm$ 0.032	0.421 $\pm$ 0.048	p < 0,05	0.523 $\pm$ 0.082	0.461 $\pm$ 0.027	NS
440	0.051 $\pm$ 0.009	0.103 $\pm$ 0.013	p < 0,05	0.133 $\pm$ 0.016	0.104 $\pm$ 0.015	NS
620	0.041 $\pm$ 0.001	0.105 $\pm$ 0.006	p < 0,05	0.108 $\pm$ 0.016	0.095 $\pm$ 0.023	NS
155	0.142 $\pm$ 0.042	0.325 $\pm$ 0.046	p < 0,05	0.272 $\pm$ 0.031	0.274 $\pm$ 0.003	NS
709	ND	0.028 $\pm$ 0.003	NC	0.022 $\pm$ 0.005	0.031 $\pm$ 0.005	NS
725	0.076 $\pm$ 0.015	0.161 $\pm$ 0.023	p < 0,05	0.057 $\pm$ 0.011	0.085 $\pm$ 0.022	NS
766	ND	0.042 $\pm$ 0.010	NC	0.033 $\pm$ 0.010	0.043 $\pm$ 0.003	NS
787	0.210 $\pm$ 0.017	0.295 $\pm$ 0.020	p < 0,05	0.324 $\pm$ 0.043	0.338 $\pm$ 0.019	NS

Accession number on gel	LM-hepatocytes			Total homogenates		
	NT	T	p-value	NT	T	p-value
	average relative volume $\pm$ SEM			average relative volume $\pm$ SEM		
<b>Deregulated proteins in both tumour homogenates and LM samples (continued)</b>						
19	0.046 $\pm$ 0.017	ND	NC	0.061 $\pm$ 0.011	ND	NC
31	0.130 $\pm$ 0.029	ND	NC	0.150 $\pm$ 0.020	ND	NC
43	0.098 $\pm$ 0.011	ND	NC	0.149 $\pm$ 0.032	ND	NC
48	0.047 $\pm$ 0.004	ND	NC	0.044 $\pm$ 0.006	ND	NC
60	0.067 $\pm$ 0.012	ND	NC	0.050 $\pm$ 0.007	ND	NC
99	0.092 $\pm$ 0.009	0.044 $\pm$ 0.013	p < 0,05	0.085 $\pm$ 0.009	0.021 $\pm$ 0.004	p < 0,05
109	0.196 $\pm$ 0.031	0.063 $\pm$ 0.004	p < 0,05	0.163 $\pm$ 0.006	0.077 $\pm$ 0.013	p < 0,05
121	0.123 $\pm$ 0.011	0.072 $\pm$ 0.010	p < 0,05	0.208 $\pm$ 0.017	0.100 $\pm$ 0.018	p < 0,05
122	0.168 $\pm$ 0.009	0.091 $\pm$ 0.016	p < 0,05	0.197 $\pm$ 0.033	0.080 $\pm$ 0.022	p < 0,05
139	0.055 $\pm$ 0.004	0.040 $\pm$ 0.005	p < 0,05	0.187 $\pm$ 0.021	0.043 $\pm$ 0.009	p < 0,05
141	0.455 $\pm$ 0.062	0.319 $\pm$ 0.022	p < 0,05	0.627 $\pm$ 0.011	0.462 $\pm$ 0.019	p < 0,05
145	0.314 $\pm$ 0.034	0.131 $\pm$ 0.018	p < 0,05	0.551 $\pm$ 0.009	0.377 $\pm$ 0.056	p < 0,05
150	0.100 $\pm$ 0.018	0.037 $\pm$ 0.003	p < 0,05	0.096 $\pm$ 0.009	0.055 $\pm$ 0.002	p < 0,05
159	0.133 $\pm$ 0.038	0.040 $\pm$ 0.008	p < 0,05	0.245 $\pm$ 0.024	0.090 $\pm$ 0.006	p < 0,05
161	0.214 $\pm$ 0.021	0.108 $\pm$ 0.023	p < 0,05	0.249 $\pm$ 0.029	0.148 $\pm$ 0.019	p < 0,05
181	0.213 $\pm$ 0.031	0.026 $\pm$ 0.003	p < 0,05	0.167 $\pm$ 0.026	0.080 $\pm$ 0.010	p < 0,05
183	0.106 $\pm$ 0.009	0.028 $\pm$ 0.001	p < 0,05	0.138 $\pm$ 0.014	0.080 $\pm$ 0.004	p < 0,05
204	0.119 $\pm$ 0.008	0.036 $\pm$ 0.005	p < 0,05	0.126 $\pm$ 0.007	0.077 $\pm$ 0.008	p < 0,05
208	0.238 $\pm$ 0.017	0.097 $\pm$ 0.010	p < 0,05	0.272 $\pm$ 0.030	0.206 $\pm$ 0.005	p < 0,05
241	0.983 $\pm$ 0.054	0.307 $\pm$ 0.022	p < 0,05	0.854 $\pm$ 0.106	0.499 $\pm$ 0.064	p < 0,05
249	0.164 $\pm$ 0.017	0.105 $\pm$ 0.015	p < 0,05	0.251 $\pm$ 0.018	0.154 $\pm$ 0.011	p < 0,05
274	0.124 $\pm$ 0.004	0.055 $\pm$ 0.006	p < 0,05	0.143 $\pm$ 0.018	0.059 $\pm$ 0.009	p < 0,05
277	0.413 $\pm$ 0.010	0.261 $\pm$ 0.018	p < 0,05	0.446 $\pm$ 0.039	0.302 $\pm$ 0.020	p < 0,05
301	0.361 $\pm$ 0.010	0.118 $\pm$ 0.012	p < 0,05	0.368 $\pm$ 0.040	0.133 $\pm$ 0.015	p < 0,05
306	0.120 $\pm$ 0.021	0.048 $\pm$ 0.008	p < 0,05	0.091 $\pm$ 0.022	0.029 $\pm$ 0.004	p < 0,05
307	0.132 $\pm$ 0.003	0.110 $\pm$ 0.002	p < 0,05	0.229 $\pm$ 0.002	0.160 $\pm$ 0.013	p < 0,05
309	0.397 $\pm$ 0.035	0.125 $\pm$ 0.011	p < 0,05	0.521 $\pm$ 0.040	0.072 $\pm$ 0.031	p < 0,05
358	0.070 $\pm$ 0.009	0.041 $\pm$ 0.004	p < 0,05	0.105 $\pm$ 0.004	0.061 $\pm$ 0.003	p < 0,05
407	0.084 $\pm$ 0.013	0.040 $\pm$ 0.008	p < 0,05	0.095 $\pm$ 0.006	0.052 $\pm$ 0.007	p < 0,05
428	0.069 $\pm$ 0.006	0.031 $\pm$ 0.005	p < 0,05	0.099 $\pm$ 0.015	0.022 $\pm$ 0.000	p < 0,05
437	0.147 $\pm$ 0.020	0.075 $\pm$ 0.004	p < 0,05	0.189 $\pm$ 0.006	0.112 $\pm$ 0.017	p < 0,05
438	0.136 $\pm$ 0.026	0.059 $\pm$ 0.009	p < 0,05	0.127 $\pm$ 0.016	0.068 $\pm$ 0.013	p < 0,05
455	0.342 $\pm$ 0.021	0.192 $\pm$ 0.015	p < 0,05	0.380 $\pm$ 0.037	0.239 $\pm$ 0.045	p < 0,05
510	0.167 $\pm$ 0.010	0.073 $\pm$ 0.021	p < 0,05	0.153 $\pm$ 0.019	0.084 $\pm$ 0.012	p < 0,05
513	0.337 $\pm$ 0.027	0.088 $\pm$ 0.033	p < 0,05	0.236 $\pm$ 0.011	0.120 $\pm$ 0.009	p < 0,05
515	0.340 $\pm$ 0.067	0.113 $\pm$ 0.029	p < 0,05	0.309 $\pm$ 0.003	0.154 $\pm$ 0.013	p < 0,05
525	0.190 $\pm$ 0.016	0.078 $\pm$ 0.006	p < 0,05	0.130 $\pm$ 0.007	0.073 $\pm$ 0.001	p < 0,05
534	0.141 $\pm$ 0.005	0.051 $\pm$ 0.001	p < 0,05	0.112 $\pm$ 0.013	0.050 $\pm$ 0.008	p < 0,05
603	0.156 $\pm$ 0.010	0.072 $\pm$ 0.001	p < 0,05	0.088 $\pm$ 0.001	0.066 $\pm$ 0.007	p < 0,05
755	0.045 $\pm$ 0.002	0.027 $\pm$ 0.001	p < 0,05	0.061 $\pm$ 0.005	0.038 $\pm$ 0.003	p < 0,05
756	0.051 $\pm$ 0.007	0.029 $\pm$ 0.004	p < 0,05	0.063 $\pm$ 0.005	0.035 $\pm$ 0.002	p < 0,05
895	0.090 $\pm$ 0.006	0.017 $\pm$ 0.002	p < 0,05	0.218 $\pm$ 0.015	0.038 $\pm$ 0.005	p < 0,05
<b>Deregulated proteins in tumour LM samples</b>						
108	0.045 $\pm$ 0.005	0.132 $\pm$ 0.028	p < 0,05	0.125 $\pm$ 0.026	0.111 $\pm$ 0.003	NS
124	ND	0.077 $\pm$ 0.025	NC	0.035 $\pm$ 0.008	0.044 $\pm$ 0.003	NS
147	0.078 $\pm$ 0.005	0.251 $\pm$ 0.058	p < 0,05	0.479 $\pm$ 0.103	0.320 $\pm$ 0.019	NS
152	ND	0.132 $\pm$ 0.011	NC	0.123 $\pm$ 0.009	0.110 $\pm$ 0.021	NS
156	0.312 $\pm$ 0.087	0.677 $\pm$ 0.085	p < 0,05	0.657 $\pm$ 0.103	0.727 $\pm$ 0.017	NS
209	0.046 $\pm$ 0.004	0.186 $\pm$ 0.025	p < 0,05	0.142 $\pm$ 0.024	0.133 $\pm$ 0.020	NS
246	ND	0.068 $\pm$ 0.014	NC	0.051 $\pm$ 0.009	0.055 $\pm$ 0.002	NS
303	0.277 $\pm$ 0.032	0.421 $\pm$ 0.048	p < 0,05	0.523 $\pm$ 0.082	0.461 $\pm$ 0.027	NS
440	0.051 $\pm$ 0.009	0.103 $\pm$ 0.013	p < 0,05	0.133 $\pm$ 0.016	0.104 $\pm$ 0.015	NS
620	0.041 $\pm$ 0.001	0.105 $\pm$ 0.006	p < 0,05	0.108 $\pm$ 0.016	0.095 $\pm$ 0.023	NS
155	0.142 $\pm$ 0.042	0.325 $\pm$ 0.046	p < 0,05	0.272 $\pm$ 0.031	0.274 $\pm$ 0.003	NS
709	ND	0.028 $\pm$ 0.003	NC	0.022 $\pm$ 0.005	0.031 $\pm$ 0.005	NS
725	0.076 $\pm$ 0.015	0.161 $\pm$ 0.023	p < 0,05	0.057 $\pm$ 0.011	0.085 $\pm$ 0.022	NS
766	ND	0.042 $\pm$ 0.010	NC	0.033 $\pm$ 0.010	0.043 $\pm$ 0.003	NS
787	0.210 $\pm$ 0.017	0.295 $\pm$ 0.020	p < 0,05	0.324 $\pm$ 0.043	0.338 $\pm$ 0.019	NS