

Inpatient mother-and-child postpartum psychiatric care: factors associated with improvement in maternal mental health.

Nine M.-C. Glangeaud-Freudenthal, Anne-Laure Sutter, Anne-Claire Thieulin, Véronique Dagens-Lafont, Marie-Agathe Zimmermann, Alain Debourg, Blanche Massari, Odile Cazas, Rafaële Cammas, Christine Rainelli, et al.

▶ To cite this version:

Nine M.-C. Glangeaud-Freudenthal, Anne-Laure Sutter, Anne-Claire Thieulin, Véronique Dagens-Lafont, Marie-Agathe Zimmermann, et al.. Inpatient mother-and-child postpartum psychiatric care: factors associated with improvement in maternal mental health.. European Psychiatry, 2011, 26 (4), pp.215-23. 10.1016/j.eurpsy.2010.03.006 . inserm-00493033v2

HAL Id: inserm-00493033 https://inserm.hal.science/inserm-00493033v2

Submitted on 10 Jan 2011

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Table 1: Rate of marked improvement at discharge according to factors tested (N=869; mean rate of marked improvement=69%)

(N=505, mean rate of marked improvement=5576)	sample size N (%)	marked improvement N (%)	95% CI	р
Social and demographic characteristics				
Educational level				
- high school and over	305 (35.1)	247 (81.0)	[77;85]	p < 0.0001
- secondary	404 (46.5)	267 (66.1)	[61;71]	
- primary or less or unknown	155 (17.8)	82 (52.9)	[45;61]	
Occupational status				
 occupational activity or training 	256 (29.5)	216 (84.4)	[80;89]	p < 0.0001
 receiving unemployment benefits 	102 (11.7)	66 (64.7)	[55;74]	
 receiving disability payments 	114 (13.1)	53 (46.5)	[37;56]	
- on sick leave from work	149 (17.2)	120 (80.5)	[74;87]	
- not in labor force	118 (13.6)	74 (62.7)	[54;71]	
- other (state allowance,)	130 (15.0)	70 (53.9)	[45;62]	
Last employment category				
- professional	92 (10.6)	78 (84.8)	[77;92]	p < 0.0001
- intermediate	167 (19.2)	138 (82.6)	[77;88]	
- clerical or sales	282 (32.5)	211 (74.8)	[70;80]	
- workers, artisan or farmer	108 (12.4)	65 (60.2)	[51;69]	
- no known profession	220 (25.3)	107 (48.6)	[42;55]	
Country of birth				
- France	698 (83.6)	476 (68.2)	[65;72]	p = 0.92
- Other	137 (16.4)	94 (68.6)	[61;76]	
Maternal age at admission (years)				
- 25-35	105 (12.1)	60 (57.1)	[48;67]	p = 0.01
- < 25	541 (62.3)	390 (72.1)	[68;76]	
- > 35	223 (25.7)	149 (66.8)	[61;73]	
Living with a partner (married or cohabiting)				
- yes	569 (65.5)	436 (76.6)	[73;80]	p < 0.0001
- no	300 (34.5)	163 (54.3)	[49;60]	
Maternal mental illness				
Index diagnosis				
 depressive episode and recurrent depressive disorder 	158 (18.1)	137 (86.7)	[81;92]	p < 0.0001
 psychotic affective disorders 	207 (23.8)	171 (82.6)	[77;88]	
 schizophrenia and other non-affective psychotic disorders 	116 (13.3)	54 (46.6)	[38;56]	
 acute and transient psychotic disorders 	41 (4.7)	35 (85.4)	[75;96]	
 adult personality or behavior disorder 	106 (12.)	42 (39.6)	[30;49]	
 neurotic and other mood disorders 	146 (16.8)	121 (82.9)	[77;89]	
 other diseases and disorders 	94 (10.8)	38 (40.4)	[30;50]	
Psychiatric history				
no known pathology	166 (19.1)	133 (80.1)	[74;86]	p < 0.0001
- psychotic disorders	194 (27.3)	118 (60.8)	[54;68]	
- mood disorders	289 (33.3)	235 (81.3)	[77;86]	
- behavioral disorders	95 (10.0)	38 (40.0)	[30;50]	
- other disorders or missing	125 (14.4)	75 (60.0)	[51;69]	

History of t Foster care in	rauma in childhood childhood				
	- no	660 (76.0)	471 (71.4)	[68;75]	p = 0,006
	- yes	209 (24.0)	128 (61.2)	[55;68]	
Abuse in child	dhood and adolescence				
	- no	608 (70.0)	442 (72.7)	[69;76]	p < 0.0001
	- abuse other than sexual	141 (16.2)	71 (50.4)	[42;59]	
	- sexual abuse	120 (13.8)	86 (71.7)	[64;80]	
Pregnancy	and birth				
	paby at admission (weeks)	869	9.1	[8.3;9.8]	p = 0.78
Parity					
	-primiparous	540 (62.1)	372 (68.9)	[65;73]	p = 0.19
	- secundiparous	190 (21.9)	140 (73.7)	[67;80]	·
	- over secundiparous	124 (14.3)	77 (62.1)	[54;71]	
Obstetric(pre	gnancy) complication				
	- no known complication	648 (74.6)	444 (68.5)	[65;72]	p = 0.65
	- complications	221 (24.4)	155 (70.1)	[64;76]	
Child transfer	red to neonatal intensive care unit				
	- no	688 (79.2)	490 (71.2)	[68;75]	p = 0.004
	- yes	181 (20.8)	109 (60.2)	[53;67]	
Characteris	stics at admission				
Reason for in	dex admission				
	- first acute episode	219 (25.4)	178 (81.3)	[76;86]	p < 0.0001
	- evaluation of maternal competence	154 (17.7)	66 (42.9)	[35;51]	
	- acute and transient psychotic disorders	287 (33.0)	183 (63.8)	[58;69]	
	- relapse of an acute episode	188 (21.6)	158 (84.0)	[79;89]	
	- other, unknown	21 (1.4)	14 (66.7)	[47;87]	
Legal status a	at admission				
	- informal	800 (92.0)	552 (69.0)	[66;72]	p = 0.95
	-involuntary admission	67 (8.0)	46 (68.7)	[58;80]	
Partner cha	aracteristics*				
Mental and be	ehavioral disorders				
	- no psychiatric disorder	426 (49.0)	333 (78.2)	[74;82]	p < 0.0001
	- bipolar or depressive disorders	38 (4.4)	23 (60.5)	[45;76]	
	- schizophrenia or other psychotic disorders	28 (3.2)	12 (42.9)	[25;61]	
	- behavioral disorders	54 (6.2)	34 (63.0)	[50;76]	
	- other disorders	67 (7.7)	41 (61.2)	[50;73]	
	- unknown	256 (29.5)	156 (60.9)	[55;67]	
Occupational	status				
	- occupational activity or training	588 (67.7)	446 (75.9)	[72;79]	p < 0.0001
	 receiving unemployment or disability benefits or paid sick leave from work 	110 (12.7)	70 (63.6)	[55;73]	
	- other (at home, state allowance)	82 (9.4)	43 (52.4)	[42;63]	
	- unknown	89 (10.2)	40 (44.9)	[35;55]	
Treatments Neuroleptics	for mental illness during pregnancy				
	- no	659 (75.8)	466 (70.7)	[67;74]	p = 0.04
	- yes	210 (24.2)	133 (63.3)	[57;70]	
Anxiolytic/ant	tidepressor/thymoregulator during pregnancy				
	- no	620 (71.3)	440 (71.0)	[67;75]	p = 0.04
	- yes	249 (28.7)	159 (63.9)	[58;70]	
Drug taking	g behavior during pregnancy				

Tobacco					
	- no	561 (64.6)	419 (74.7)	[71;78]	p < 0.0001
	- yes	308 (34.4)	180 (58.4)	[53;64]	
Alcohol					
	- no	811 (93.3)	567 (69.9)	[67;73]	p = 0.02
	- yes	58 (6.7)	32 (55.2)	[42;68]	
Drug use					
	- no	804 (92.5)	570 (70.9)	[68;74]	p < 0.0001
	- yes	65 (7.5)	29 (44.6)	[33;57]	
Unit chara	acteristics				
Size of unit					
	- large unit	483 (55.6)	315 (65.2)	[61;69]	p = 0.004
	- medium unit	263 (30.3)	202 (76.8)	[72;82]	
	- small unit	123 (14.1)	82 (66.7)	[58;75]	
Unit directo	r's professional domain				
	- child psychiatrist	424 (48.8)	275 (64.9)	[60;69]	p = 0.01
	- adult psychiatrist	445 (51.2)	324 (72.8)	[69;77]	

^{*}partner and, if no partner, baby's father

Table 2: Model for maternal marked improvement at discharge (N = 814; ORb logistic regression per variable*; ORa multivariable logistic regression *)

	ORb (CI)	р	ORa (CI)	р
Social and demographic character	istics			
Educational level				
- high school and over	1	p <0,0001*	1	p = 0.54
- secondary	0.46 [0.32;0.65]		0.88 [0.54;1.46]	
- primary or less or unknown	0.28 [0.18;0.43]		1.23 [0.64;2.48]	
Occupational status				
 occupational activity or train 	_	p <0.0001*	1	p = 0.02*
 receiving unemployment be 	•		0.50 [0.26;0.98]	
 receiving disability payment 	•		0.37 [0.18;0.76]	
 on sick leave from work 	0.77 [0.45;1.30]		0.83 [0.44;1.57]	
- not in labor force	0.31 [0.19;0.52]		0.36 [0.18;0.70]	
- other (state allowance,)	0,23 [0.14;0.38]		0.46 [0.23;0.93]	
Last employment category				
- professional	1	p <0.0001*	1	p = 0.31
- intermediate	0.85 [0.43;1.71]		0.98 [0.44;2.22]	
- clerical or sales	0.53 [0.28;1.00]		0.93 [0.41;2.08]	
- workers, artisan or farmer	0.27 [0.14;0.54]		0.53 [0.21;1.33]	
- no known profession	0.17 [0.09;0.31]		0.60 [0.24;1.50]	
Country of birth				
- France	1	p = 0.13	1	p = 0.18
- Other	1.02 [0.69;1.51]		1.44 [0.85;2.42]	
Maternal age at admission (years)				
- 25-35	1	p = 0.01*	1	p = 0.20
- < 25	0.52 [0.34;0.79]		1.13 [0.63;2.04]	
- > 35	0.78 [0.56;1.09]		0.68 [0.44;1.06]	
Living with a partner (married or cohabiting	g)			
- yes	1	p <0.0001*	1	p = 0.98
- no	0.36 [0.27;0.49]		1.01 [0.63;1.60]	
Maternal mental illness				
Index diagnosis				
- depressive episode and rec	urrent			
depressive disorder	1	p <0.0001*	1	p <0.0001*
 psychotic affective disorders schizophrenia and other no 			1.07 [0.51;2.22]	
affective psychotic disorders - acute and transient psychot	0.13 [0.07;0.24] ic		0.27 [0.12;0.61]	
disorders - adult personality or behavio	0.77 [0.29;2.10] r		0.42 [0.14;1.28]	
disorder	0.09 [0.05;0.18]		0.21 [0.10;0.44]	
 neurotic or other mood diso 	• • •		0.88 [0.43;1.81]	
 other diseases and disorder 	rs 0.10 [0.05;0.19]		0.22 [0.10;0.48]	
Psychiatric history				
- no known pathology	1	p <0.0001*	1	p = 0.47
 psychotic disorders 	0.39 [0.24;0.62]		0.83 [0.38;1.79]	
- mood disorders	1.08 [0.67;1.75]		0.97 [0.50;1.87]	
- behavioral disorders	0.17 [0.09;0.29]		0.54 [0.25;1.14]	
- other disorders or missing	0.37 [0.22;0.63]		0.77 [0.36;1.62]	

History of trauma in childhood

History of t	rauma in childhood				
Foster care in	childhood				
	- no	1	p = 0.01*	1	p = 0.23
	- yes	0.63 [0.46;0.88]		0.76 [0.48;1.20]	
Abuse in child	dhood and adolescence				
	- no	1	p <0.0001*	1	p = 0.10
	- abuse other than sexual	0.38 [0.26;0.55]		0.79 [0.47;1.32]	
	- sexual abuse	0.95 [0.62;1.47]		1.60 [0.89;2.87]	
Pregnancy	and birth				
Parity					
-	-primiparous	1	p = 0.19	1	p = 0.29
	- secundiparous	1.26 [0.87;1.83]	•	0.97 [0.60;1.57]	•
	- over secundiparous	0.74 [0.49;1.11]		0.65 [0.37;1.12]	
Obstetric (pre	gnancy) complication	. , .			
	- no known complication	1	p = 0.65	1	p = 0.84
	- complications	1. 08 [0.77;1.50]		0.96 [0.62;1.47]	
Child transfer	red to neonatal intensive care unit	, , , , , , , , , , , , , , , , , , , ,		, , ,	
	- no	1	p = 0.005*	1	p = 0.28
	- yes	0.61 [0.44;0.86]	F	0.78 [0.49;1.23]	p
Characteris	stics at admission				
	dex admission				
Reason for in		1	p <0.0001*	1	p = 0.01*
	first acute episodeevaluation of maternal	1	p <0.0001	1	p = 0.01
	competence	0.17 [0.11;0.28]		0.72 [0.38;1.38]	
	- acute episode of a chronic				
	disorders	0.41 [0.27;0.62]		0.97 [0.51;1.83]	
	- relapse of an acute episode	1.21 [0.72;2.04]		2.24 [1.11;4.55]	
	- other, unknown	0.46 [0.18;1.21]		1.84 [0.50;6.73]	
Legal status a					
	- informal	1	p = 0.85	1	p = 0.64
	-involuntary admission	0.98 [0.58;1.69]		0.84 [0.41;1.72]	
Partner cha	aracteristics**				
Mental and be	ehavioral disorders				
	 no psychiatric disorder 	1	p <0.0001*	1	p = 0.13
	- bipolar or depressive disorders	0.21 [0.10;0.46]		0.33 [0.14;0.79]	
	 schizophrenia or other psychotic disorder 	0.43 [0.22;0.85]		0.70 [0.27;1.85]	
	- behavioral disorders	0.48 [0.26;0.86]		1.26 [0.59;2.69]	
	- other disorders	0.44 [0.26;0.76]		1.40 [0.66;2.98]	
	- unknown	0.44 [0.31;0.61]		1.00 [0.59;1.71]	
Occupational		0.11[0.01,0.01]		1.00 [0.00,1.1.1]	
	- Occupational activity or training	1	p <0.0001*	1	p = 0.30
	- receiving unemployment or		•		•
	disability benefits or paid sick leave				
	from work	0.56 [0.36;0.86]		1.09 [0.61;1.96]	
	- other (at home, state allowance)	0.35 [0.22;0.56]		0.67 [0.36;1.26]	
T able 1	- unknown	0.26 [0.16;0.41]		0.60 [0.30;1.18]	
	for mental illness during preg	inancy			
Neuroleptics		4	- 004*	4	- 071
	- no	1	p = 0.04*	1	p = 0.71
Anviolutio co	- yes	0.72 [0.52;0.99]		0.91 [0.55;1.50]	
Analolytic, an	tidepressor or thymoregulator - no	1	p = 0.04*	1	p = 0.98
	- 110 - yes	0.72 [0.53;0.99]	p = 0.04	0.99 [0.63;1.56]	p – 0.80
	, 50	3.7 2 [0.00,0.00]		3.00 [0.00, 1.00]	

Drug taking behavior during pregnancy

Tobacco					
	- no	1	p <0.0001*	1	p = 0.68
	- yes	0.48 [0.35;0.64]		0.91 [0.59;1.41]	
Alcohol					
	- no	1	p = 0.02*	1	p = 0.22
	- yes	0.53 [0.31;0.91]		1.64 [0.74;3.63]	
Drug use					
	- no	1	p <0.0001*	1	p = 0.33
	- yes	0.33 [0.20;0.55]		0.70 [0.34;1.44]	
Unit chara	cteristics				
Unit directo	or's professional domain				
	- child psychiatrist	1	p = 0.01*	1	p = 0.59
	- adult psychiatrist	1.45 [1.09;1.94]	•	1.12 [0.73;1.75]	•

^{*}adjusted for age of baby and size of MBU **partner and if no partner baby's father