



**HAL**  
open science

## **Do older athletes reach limits in their performance during marathon running?**

Romuald Lepers, Thomas Cattagni

► **To cite this version:**

Romuald Lepers, Thomas Cattagni. Do older athletes reach limits in their performance during marathon running?. AGE, 2012, 34 (3), pp.773-81. <10.1007/s11357-011-9271-z>. <inserm-00596872>

**HAL Id: inserm-00596872**

**<https://inserm.hal.science/inserm-00596872v1>**

Submitted on 30 May 2012

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



HAL Authorization

Editorial Manager(tm) for AGE  
Manuscript Draft

Manuscript Number: JAAS390R1

Title: Do older athletes reach limits in their performance during marathon running?

Article Type: Research Article

Keywords: Running, Aging, Master athletes, Endurance exercise, Gender differences

Corresponding Author: Romuald Lepers

Corresponding Author's Institution:

First Author: Romuald Lepers

Order of Authors: Romuald Lepers;Thomas Cattagni

**Abstract:** In the last decades, the participation of elderly trained people in endurance events such as marathon running has dramatically increased. Previous studies suggested that the performance of master runners (> 40 yrs) during marathon running has improved. The aims of the study were : (i) to analyze the changes in participation and performance trends of master marathon runners between 1980 and 2009 and, ii) to compare the gender differences in performance as a function of age across the years. Running times of the best male and female runners between 20 and 79 yrs of age who competed in the New-York City marathon were analyzed. Gender differences in performance times were analysed for the top 10 male and female runners between 20 and 65 yrs of age. The participation of master runners increased during the 1980-2009 period, to a greater extent for females compared to males. During that period, running times of master runners significantly ( $P < 0.01$ ) decreased for males older than 64 yrs and for females older than 44 yrs, respectively. Gender differences in running times decreased over the last 3 decades but remained relatively stable across the ages during the last decade. These data suggest that male (~ 65 yrs) and female (~ 45 yrs) master runners have probably not yet reached their limits in marathon performance. The relative stability of gender differences in marathon running times across the different age groups over the last decade also suggests that age-related declines in physiological function do not differ between male and female marathoners.

**Response to Reviewers:** We are grateful to the reviewer for the critical comments and useful suggestions that have helped us to improve our paper. As indicated in the responses below, we have taken all these comments and suggestions into account in the revised version of our manuscript.

**General comment**

**Reviewer:**

The authors expand the analysis from Jokl et al. in Br J Sports Med 2004;38:408-412 of the New York City Marathon for the first decade of the new century. Since this marathon is one of the most known marathons, this is an important paper to see advances of master marathon runners in the first decade of the new century.

Regarding the paper of Jokl et al. 2004, the authors add the new data and make some substantial contributions.

**Response:** We thank the reviewer for his positive comments.



## Specific comments

Reviewer:

Abstract

- I would like to see an opening sentence as background, what is known and what has been done.

Response:

We added the following sentence: "In the last decades, the participation of elderly trained people in endurance events such as marathon running has dramatically increased. Previous studies suggested that the performance of master runners (> 40 yrs) during marathon running has improved."

- The last sentence, I would put 'marathoners' at the end since you have investigated marathoners for this specific finding.

Response:

Done, as requested.

## Introduction

- First paragraph: It is a good idea to start the paper this way. I recommend using the references of Williams PT, for example Williams PT. Relationship of distance run per week to coronary heart disease risk factors in 8283 male runners. The National Runners' Health Study. Arch Intern Med. 1997 Jan 27;157(2):191-8. Williams PT. Incident hypercholesterolemia in relation to changes in vigorous physical activity. Med Sci Sports Exerc. 2009 Jan;41(1):74-80. Williams PT. Lower prevalence of hypertension, hypercholesterolemia, and diabetes in marathoners. Med Sci Sports Exerc. 2009 Mar;41(3):523-9. And similar articles of this author. So you can show how important marathon running is for health and minimizing health costs.

Response:

Thank you for the references. We have added the three references suggested by the reviewer in the manuscript (Williams 1997, Williams 2009a Williams 2009b, see references) and the following sentence in the introduction: "For example, it has been shown that prevalence of hypertension, hypercholesterolemia, and diabetes decreases with the frequency of marathon participation independent of annual running distance. This may be due to the inclusion of longer training runs in preparation for marathons or to genetic or other innate differences between marathon and nonmarathon runners (Williams 2009b)".

- Page 3, Line 44, the word 'chronic' sounds for me like a 'chronic disease leading to death'. I recommend using another expression.

Response:

The word "chronic" has been replaced by 'usual'.

- Page 4, first line, I think you want to say 'world-wide'

Response:

The reviewer is right.

- Page 4, Lines 22-27. This is the most important aspect of your paper, you should emphasize more!

Response:

The following sentence has been added: "However, the changes in participation and performance of elderly athletes at the NYC marathon this last decade (i.e. from 2000 to 2009) have not been yet investigated and it is not known whether master's athletes still improved their marathon performance or whether they have reached their limits".

- End of Introduction: You need to express that to date, no data exist for the participation and performance in marathon running for master athletes in the first decade of the new century. And you

want to expand the existing data from Jokl et al. 2004. This should be more clearly since this is the strength of your paper.

Response:

We have added the following sentence to the last paragraph of the introduction: "To date, no data exist regarding the participation and performance trends in marathon running for master athletes in the first decade of the new century. Accordingly, the first purpose of this large cross-sectional study was to expand the existing data from Jokl et al. (2004) by examining the changes in participation and performance of masters athletes at the NYC marathon over the last 30 years (from 1980 to 2009)."

Methods

- The authors should explain why they took the top 10 finishers of each age group. Jokl et al. took the top 50 of each age group.

Response:

In contrast to Jokl et al (2004) that considered age groups of 10 years, we considered age groups of 5 years for males and females older than 40. In addition, the small participation of very old athletes especially for females with sometimes less than 20 finishers per age group, justified the necessity to consider only the top 10 finishers.

We have added the following sentence in the methods "The small participation of athletes older than 65 yrs, especially for females, during the first decade studied (1980-1989), with sometimes less than 20 finishers per age group, justified the necessity to consider only the top 10 finishers."

- Results

The authors should explain that the organizer sets a limit. This will influence the participation!

Response:

The reviewer is right. This point was already discussed in the paragraph "Increase in participation of master athletes" of the discussion: "It should be mentioned over the years, the race organisation has imposed limits to the number of entries accepted and this entry cap has increased over the years. However, if the field size limits to the NYC marathon would alter the number of allowable finishers, it would probably not change the relative proportions of males/females and ages."

Discussion

- Page 9, Line 49: How can you explain your statement "There is no evidence that participation of women will reach those of men in the near future"?

Response:

We agree that this assumption is not justified according to the present results so we have deleted this sentence.

- Page 9, Line 54: You have inserted (2), this should probably be a reference?

Response:

The reviewer is right. The reference was: Burfoot (2007)

- Page 10, Line 17-22, I think you should insert there a reference

Response:

We have added the following reference: Lee MS, Tanaka K (1997) Significance of health fitness appraisal in an aging society. *Appl Human Sci* 16:123-131.

- Page 11, Line 24, how do you define 'older females'?

Response:

We have added to the sentence: "females older than 50 yrs".

- Can you explain about your female age group 44-44 years?

Response:

We have added the following sentence: "These results suggested that the youngest female master runners have already reached their limits in performance during marathon."

- Although you have a lot of data and good analysis, you should mention in the limitations that weather influences marathon performance times, see Int J Biometeorol. 2010 May;54(3):297-306. Jokl et al. mention in the second last paragraph the year 1983!

Response:

The possible effects of weather on the performance of marathon runners (Vihma 2010) have been evocated in the discussion.

- References

Page 14, Line 22. VO2max

Page 14, Line 36. The first letter of each word is capitalized

Response:

Done, as requested.

- Figures

In Figure 1, you have more age groups for males than for females. Could you arrange the figure to show that there were no participants in the age groups 70-74 and 75-79?

Response:

The figure 1 has been modified as requested.

## Abstract

In the last decades, the participation of elderly trained people in endurance events such as marathon running has dramatically increased. Previous studies suggested that the performance of master runners (> 40 yrs) during marathon running has improved. The aims of the study were : (i) to analyze the changes in participation and performance trends of master marathon runners between 1980 and 2009 and, ii) to compare the gender differences in performance as a function of age across the years. Running times of the best male and female runners between 20 and 79 yrs of age who competed in the New-York City marathon were analyzed. Gender differences in performance times were analysed for the top 10 male and female runners between 20 and 65 yrs of age. The participation of master runners increased during the 1980-2009 period, to a greater extent for females compared to males. During that period, running times of master runners significantly ( $P<0.01$ ) decreased for males older than 64 yrs and for females older than 44 yrs, respectively. Gender differences in running times decreased over the last 3 decades but remained relatively stable across the ages during the last decade. These data suggest that male ( $\geq 65$  yrs) and female ( $\geq 45$  yrs) master runners have probably not yet reached their limits in marathon performance. The relative stability of gender differences in marathon running times across the different age groups over the last decade also suggests that age-related declines in physiological function do not differ between male and female marathoners.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

# Do older athletes reach limits in their performance during marathon running?

Romuald Lepers & Thomas Cattagni

INSERM U887, University of Burgundy, Faculty of Sport Sciences, Dijon, FRANCE

**Running title:** Age and marathon performance

**Corresponding author:**

Romuald Lepers

Université de Bourgogne

INSERM U 887

BP 27877

21078 Dijon cedex

France

Tel : +33.3.80.39.67.60

Fax : +33.3.80.39.67.02

Email : [romuald.lepers@u-bourgogne.fr](mailto:romuald.lepers@u-bourgogne.fr)

## Abstract

In the last decades, the participation of elderly trained people in endurance events such as marathon running has dramatically increased. Previous studies suggested that the performance of master runners (> 40 yrs) during marathon running has improved. The aims of the study were : (i) to analyze the changes in participation and performance trends of master marathon runners between 1980 and 2009 and, ii) to compare the gender differences in performance as a function of age across the years. Running times of the best male and female runners between 20 and 79 yrs of age who competed in the New-York City marathon were analyzed. Gender differences in performance times were analysed for the top 10 male and female runners between 20 and 65 yrs of age. The participation of master runners increased during the 1980-2009 period, to a greater extent for females compared to males. During that period, running times of master runners significantly ( $P<0.01$ ) decreased for males older than 64 yrs and for females older than 44 yrs, respectively. Gender differences in running times decreased over the last 3 decades but remained relatively stable across the ages during the last decade. These data suggest that male ( $\geq 65$  yrs) and female ( $\geq 45$  yrs) master runners have probably not yet reached their limits in marathon performance. The relative stability of gender differences in marathon running times across the different age groups over the last decade also suggests that age-related declines in physiological function do not differ between male and female marathoners.

**Keywords :** Running, Aging, Master athletes, Endurance exercise, Gender differences.

## Introduction

Although longevity continues to increase, some lifestyle risks might have a sufficiently large impact on mortality to halt the present upward trends in life expectancy. The lifestyle risks found in most of the populations of the world's most affluent countries are cigarette smoking, obesity, an unhealthy diet, lack of exercise, alcohol consumption and general sedentary behavior (Harper and Howse 2008). It has been shown that regular physical activity can reduce the risk of all causes of mortality and increase life expectancy (Williams 1997, Williams 2009a). Despite the benefits of exercise, the percentage of a populations physical inactivity increases with advancing age and according to the U. S. Department of Health and Human Services, approximately one-third of persons aged 65 or older lead a sedentary lifestyle (<http://aspe.hhs.gov/health/reports/physicalactivity/>).

The aging process in humans is characterized by significant decreases in physiological functions, but numerous studies have demonstrated that continued exercising such as running late into life, attenuates sarcopenia and is beneficial for cardiovascular health (Trappe 2007; Faulkner et al. 2008). Careful studies of people who age successfully from a physical performance standpoint may elucidate methods and mechanisms that doctors can apply to all patients to develop a more uniform healthcare approach. Older (or Masters) endurance athletes represent an ideal model to determine successful aging due to their usual participation in high intensity exercise (Hawkins et al. 2003). They are a positive example of exceptional aging and are a rich source of insight into a person's ability to maintain peak physical performance and physiological function with advancing age (Tanaka and Seals 2008). For example, it has been shown that prevalence of hypertension, hypercholesterolemia, and diabetes decreases with the frequency of marathon participation independent of annual running distance. This may be due to the inclusion of longer training runs in preparation for

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

marathons or to genetic or other innate differences between marathon and nonmarathon runners (Williams 2009b).

Since the early 1980's, participation in distance running events such as marathon has skyrocketed with hundreds of marathons world-wide and several events having more than 40 000 participants (Burfoot 2007). The marathon has become a world-wide social and fitness phenomenon, and therefore represents an interesting model to analyze the participation and performances trends of athletes across the ages over a long period of time.

To the best of our knowledge, few studies have focused on the participation and performance trends of masters athletes at the marathon distance since the early 1980's (Jokl et al. 2004, Leyk et al. 2009). Jokl et al. (2004) showed that participation in the New York City (NYC) Marathon over the 1983-1999 period increased at a higher rate in athletes above 50 years old than in younger athletes, for both men and women. In addition, over the same 1983-1999 period, the best male and female athletes older than 50 improved their running times at a greater rate than the younger athletes, whose performance levels have plateaued. **However, the changes in participation and performance of elderly athletes at the NYC marathon this last decade (i.e. from 2000 to 2009) have not been yet investigated,** and it is not known whether master's athletes still improved their marathon performance or whether they have reached their limits.

Gender differences in running have been well investigated for elite athletes (Pate and O'Neil 2007; Sparkling et al. 1998; Baker and Tang 2010; Hunter et al. 2011). However, there is paucity of data related to the combined interaction of age and gender on running performance (Leyk et al. 2007; Ransdell et al. 2009). Knowing that the physiological (e.g. muscle strength, oxygen carrying capacity) and morphological (e.g. percentage of body fat, muscle mass) functional characteristics change with advancing age, gender differences in endurance running performance may also change with advancing age. For example, some

1 studies have suggested that elderly females may lose muscle mass more rapidly than do their  
2 male counterparts (Phillips et al. 1993; Samson et al. 2000); but it is not a general finding. An  
3 increase in 10-km running time with advancing age has been found to be greater in females  
4 compared to males (Tanaka and Seals 2003). Jokl et al. (2004) found that the time  
5 improvement were substantially greater for older female athletes compared to their male  
6 counterparts at the NYC marathon over the 1983-1999 period. These findings suggest that  
7 gender differences in marathon running performances for master's athletes may have  
8 decreased during last 3 decades. However, the possibility of an increased gender difference in  
9 endurance running with advanced age needs to be examined.

10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

To date, no data exist regarding the participation and performance trends in marathon running for master athletes in the first decade of the new century. Accordingly, the first purpose of this large cross-sectional study was to expand the existing data from Jokl et al. (2004) by examining the changes in participation and performance of masters athletes at the NYC marathon over the last 30 years (from 1980 to 2009). A secondary purpose was to analyze the gender differences in running performance as a function of age across the same 1980-2009 period.

## Methods

Approval for the project was obtained from the Burgundy University Committee on Human Research. This study involved the analysis of publicly available data so content was waived. Age and time performance data for all runners completing the NYC marathon from 1980 to 2009 were obtained through the NYC marathon web site: <http://www.ingnycmarathon.org/>. Although there is no consensus in the literature about the definition of a masters athlete, we defined masters athletes in the present study as those equal to or older than 40 yrs. For male

1 and female athletes younger than 40 yrs, we considered two age groups of 10 years: 20-29  
2 yrs, 30-39 yrs. To focus more on changes in participation and performance in masters athletes,  
3 we considered age groups of 5 years for males and females older than 40, as follows: 40-44  
4 yrs, 45-49 yrs, 50-54 yrs, 55-59 yrs, 60-64 yrs, 65-69, 70-74 yrs, and 75-79 yrs. **The small**  
5 **participation of athletes older than 65 yrs, especially for females, during the first decade**  
6 **studied (1980-1989), with sometimes less than 20 finishers per age group, justified the**  
7 **necessity to consider only the top 10 finishers.** Averaged running time performances of the  
8 top 10 finishers of each age group for both females and males were analyzed from 1980 to  
9 2009. If there were less than 10 finishers in an age group, the data were not considered. The  
10 magnitude of gender differences was examined by calculating the percent difference for  
11 running times between the top 10 males versus females of each age group. In order to simplify  
12 the analysis over the 30 years studied period (1980-2009), we pooled data into three decades:  
13 1980-89, 1990-99 and 2000-09.

14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

Two-way ANOVAs (age group x decade) with repeated measures on decade were used to compare percent of finishers and running times between the decades across ages, for both males and females. Two-way ANOVAs (age group x decade) with repeated measures on decade were also used to compare gender differences in running times between the decades across ages. Tukey's post hoc analyses were used to test differences within the ANOVAs when appropriate. A significance level of  $P < 0.05$  was used to identify statistical significance.

## Results

### *Participation of masters athletes*

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

insefm-00596872 version 1-30-May-2011

Table 1 shows that the number of total finishers increased by 65% between decade 1980-89 and decade 1990-99 and by only 25% between decade 1990-99 and decade 2000-09. The number of finishers increased more for females than for males: 145% vs. 49% between 1980-89 and 1990-99 and 68% vs. 11% between 1990-99 and 2000-09. The ratio of male and female finishers decreased over the three decades, and was equal to 5.1, 3.1 and 2.1, respectively. The relative increase of finishers was greater for the masters athletes > 40 yrs than for younger athletes for both males and females, and was greater for female masters athletes than for the males (Table 1). The distribution of finishers per age group over the three decades studied is shown in Fig. 1. Over the three decades, the percent of finishers younger than 40 yrs significantly decreased ( $P < 0.05$ ), while the percent of masters finishers significantly increased ( $P < 0.05$ ), for both males and females. Over the 3 decades 1980-89, 1990-99 and 2000-09, male masters athletes represented 36%, 45% and 53% of total male finishers, respectively; while female masters athletes represented 24%, 34% and 40% of total female finishers, respectively.

### *Performances of masters athletes*

The mean finish times for the top 10 of each male and female age group over the three studied decades are shown in Fig. 2. For males, ANOVA revealed that mean finish times did not change over the three decades for age groups < 60-64 yrs. In contrast, running times significantly decreased ( $P < 0.01$ ) over the three decades for age groups  $\geq$  60-64 yr. For example, average running times of males within the 65-69 yrs age range significantly decreased ( $P < 0.01$ ) by ~8 min (3.7%) between 1980-89 and 1990-99, and by ~7 min (3.2%) between 1990-99 and 2000-09. Average running time of males within the 70-74 yrs age range significantly decreased ( $P < 0.01$ ) by ~13 min (4.9%) between 1980-89 and 1990-99, and by

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

~4 min (1.6%) between 1990-99 and 2000-09. For females, mean finish times did not change over the three decades for age groups < 45-49 yrs, except the time of the 30-39 yrs group that was lower in 2000-09 decade compared to previous decades. Female running times significantly decreased ( $P < 0.01$ ) over the three decades for age groups  $\geq 45-49$  yr. For example, average running time of females within the 55-59 yrs age range significantly decreased ( $P < 0.01$ ) by ~33 min (14.5%) between 1980-89 and 1990-99, and by ~8 min (3.5%) between 1990-99 and 2000-09. Average running times of females within the 60-64 yrs age range significantly decreased ( $P < 0.01$ ) by ~16 min (6.8%) between 1990-99 and 2000-09.

#### *Gender differences in running times with age*

Independently of age, gender differences in running times were significantly ( $P < 0.001$ ) lower for decade 2000-2009 compared to both previous decades 1980-89 and 1990-99. Mean gender differences in running times were equal to  $28.4 \pm 10.3$  %,  $25.8 \pm 6.9$  %, and  $19.7 \pm 4.2$  % for decades 1980-1989, 1990-1999, and 2000-2009, respectively. There was a significant age group x decade interaction for gender differences in performance times ( $F = 8.7$ ;  $P < 0.001$ ), (Fig. 3). Gender differences at age groups  $> 45-49$  yrs decreased over the three decades. During decade 1980-89, gender differences were significantly ( $P < 0.01$ ) greater for age groups 55-59 yrs and 60-64 yrs compared to all younger age groups comprised between 20-29 yrs and 50-54 yrs. Interestingly, gender differences did not differ across the ages for the last two decades 1990-99 and 2000-09.

#### **Discussion**

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

The main findings of the present study were first that the participation of masters athletes at the NYC Marathon increased during the 1980-2009 period, but to a greater extent for females than for males. Second, during that period, running times of masters runners has significantly decreased for males older than 64 yrs and for females older than 44 yrs, respectively. Third, gender differences in running time decreased over the last 3 decades but remained relatively stable across the different ages during the last decade.

Although it lacked some data about physiological (e.g. aerobic capacity) and anthropometric (e.g. body weight, lean body mass) parameters, as well as training volume (Knechtle et al. 2009) and **environmental conditions of the race (Vihma 2010)**, the present study has provided valuable data concerning masters athletes performances at the marathon distance during the last 30 years. Indeed, masters athletes represent an ideal model to determine successful aging due to their sustained participation in exercise. While numerous research has been conducted describing the age-related declines in aerobic capacity (Harper and Howse 2008), the influence of chronic exercise on physiological capacity has been less investigated. The approach that consists of examining the changes in endurance performance with age in highly trained and competitive athletes represents an effective experimental model because changes observed with advancing age are thought to be mainly the results of primary (physiological) aging (Tanaka and Seals 2008). It is likely that the athletes finishing in the top 10 of their age group in a competitive event such the NYC Marathon, performed to their maximal physical capacity.

#### *Increase in participation of master athletes*

The number of male and female finishers increased over the last three decades. It should be mentioned over the years, the race organisation has imposed limits to the number of

1 entries accepted and this entry cap has increased over the years. However, if the field size  
2 limits to the NYC marathon would alter the number of allowable finishers, it would probably  
3 not change the relative proportions of males/females and ages. Based on extrapolation, Jokl et  
4 al. (2004) suggested that the male/female ratio of participation would approach 1 in 2007. Our  
5 findings did not confirm that assumption. Indeed, the relative participation of females at the  
6 NYC Marathon increased over the last 30 years (from ~17% of the total field for the 1980-89  
7 period to ~33% for the 2000-09 period), but remained lower than participation of the males.  
8  
9

10  
11  
12  
13  
14  
15  
16  
17 The growth of female and masters age groups in worldwide marathon racing has been  
18 particularly startling over the last 30 years (Burfoot 2007). Present data confirm previous  
19 observations as the total participation of master runners at the NYC Marathon has increased  
20 during the last three decades and to a greater extent for female than for males. Throughout the  
21 2000-09 decade, masters runners represented more than 50% of male finishers and 40% of  
22 female finishers, respectively. In addition, the relative proportion of masters runners in the  
23 total field has also increased for both males and females over the last three decades while  
24 those of runners younger than 40 yrs of age decreased during the same period. Similarly, Jokl  
25 et al. (2004) found that the number of participants at the NYC Marathon (older than 50 yrs of  
26 age) increased at a greater rate than their younger counterparts during the 1983-1999 period.  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

marathon running should lead to a re-evaluation of the aging process and how it relates to athletic performance.

### *Performances of masters athletes*

Accordingly, the present results show that the running performance times of men within the 40-64 yrs age range have plateaued during the last two decades, while running times decreased for males older than 65 yrs. Several reasons may explain the improved performance of males older than 65 yrs over these 20 years, such as a greater participation of the older age groups, which would increase the probability of finding better runners in these age groups, increase training facilities for older people, and increase the competitive spirit in these older groups. In addition, if masters athletes performed at such a high-level for so long, it is reasonable to expect that those destined to maintain that intensity could do so because they remained largely injury-free (Knobloch et al. 2008). In contrary, the relative stability of running performances for males within the 40-64 yrs age range, suggest that this category of “young” men masters athletes has nowadays approached the limits of their marathon performance.

In contrast to males, the running performance times of female masters athletes decreased during the last two decades for all age groups except for the 40-44 yrs one. **These results suggested that the youngest female master runners have already reached their limits in performance during marathon.** Improvements of masters running performance have been much greater for females than for males as it has already been observed by Jokl et al. (2004). For example, female running times with the 60-64 yrs age range decreased by ~7% over the last two decades, while it remained stable for their male counterparts. These data suggest that females **older than 50 yrs** may still improve their marathon performance in the future as the

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

new generation of well-trained young female athletes will move into the older age group competitions. In addition to better performances for older female athletes, an increase of density such the top 10 spreads of each age group may also be expected in the future.

### *Gender difference in running time*

The gender gap between male and female world best marathon performances has narrowed during the last 30 years. In 1980, the world record for males was 2:08:34 and for females 2:25:41, corresponding to a differential of 13.3%. The current world marathon record is 2:15:25 for females and 2:03:59 for males (Joyner et al. 2011), corresponding to a gender gap of 9.2%. The present results showed that independently of age, the gender differences in running performance times decreased over the last three decades, suggesting that females have reduced the gap to males. During the last decade, gender differences in running times ranged from ~12 % for the 30-40 yrs age group to ~26 % for the 65-69 yrs age group. This finding corroborates the results of Hunter et al. (2011) and Randsell et al. (2009) who examined gender differences in elite and age group runners over several marathons. During the decade 1980-89, the difference between males and females in their performance times increased significantly with advancing age from 55 yrs up to ~40%. However, since the 1990-99 decade differences between female and male running times decreased for older age groups, therefore gender differences did not significantly differ across the age. Recently, Lepers & Maffiuletti (2011) have shown that during the 2006-2008 period gender differences in an ultraendurance event (Ironman triathlon) performance times increased with advancing age from 55 yrs. Ironman triathlon is a newer endurance event (the first even held in 1982) with less participants (~ 2000), compared to NYC Marathon (Lepers 2008), and that maybe explain

1 why gender differences across the age in Ironman triathlon are currently similar with to those  
2 that were observed for NYC Marathon 30 yrs ago.  
3

4 The relative stability of gender differences in marathon running times across the ages  
5 observed during the last decade suggests that the age-related declines in physiological  
6 function did not differ between males and females. Age-related changes in the physiological  
7 determinants of endurance performance (e.g. maximal oxygen uptake, lactate threshold, and  
8 running economy) between males and females have not received considerable attention. For  
9 example, Holloszy and Kohrt (1995) suggested that the relative rates of decline in maximal  
10 oxygen consumption with age are similar between the sexes. However, further investigations  
11 are required in order to analyse the age-related declines in other physiological parameters  
12 such lactate threshold and running economy in males and females.  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28

### 29 *Conclusion*

30 The participation of masters runners at the NYC Marathon increased over the last 30  
31 yrs and it will probably still grow in the future in the New-York and other marathons  
32 worldwide. Interestingly, the last two decades the master runner's performances have  
33 plateaued within the 40-64 yrs age range for males, but only within the 40-44 yrs range for  
34 females. The present data suggest that male ( $\geq 65$  yrs) and female ( $\geq 45$  yrs) master runners  
35 have probably not yet reached their limits in marathon performances. The relative stability of  
36 gender differences in marathon running times across the age these last decades also suggests  
37 that the age-related declines in physiological functions did not differ between males and  
38 females. Literature on the masters athletes improvements in performance has already and,  
39 should still stimulate further research on the understanding of age related physiological  
40 changes and the potential slowing of some of the aging processes through athletic training.  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

insepm-00596872 version 1 - 30 May 2011

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

Further investigations are required in order to analyse participation and performance trends of masters athletes for other sporting endurance events such as swimming, cycling or triathlon, to see if present findings on NYC Marathon are similar for other endurance events.

## **Acknowledgments**

The authors would like to extend his gratitude to Paul Stapley (Mc Gill University, Montreal, Canada) for helpful suggestions concerning the manuscript.

The authors have non conflict of interests to report.

None funding has been received for this work from NIH, Wellcome Trust, HHMI or others.

## References

- 1  
2  
3  
4 Baker AB, Tang YQ. Aging performance for masters records in athletics, swimming, rowing,  
5 cycling, triathlon, and weightlifting (2010) *Exp Aging Res* 36:453-77  
6  
7  
8  
9  
10 Burfoot A (2007) The history of the marathon. *Sports Med* 37:284-287  
11  
12 Faulkner JA, Davis CS, Mendias CL, Brooks SV (2008) The aging of elite male athletes: age-  
13 related changes in performance and skeletal muscle structure and function. *Clin J*  
14 *Sport Med* 18:501-507  
15  
16  
17  
18  
19 Harper S, Howse K (2008) An upper limit to human longevity ? *Population Ageing* 1:99-106  
20  
21  
22 Hawkins SA, Wiswell RA (2003) Rate and mechanism of  $VO_{2max}$  decline with aging:  
23 implications for exercise training. *Sport Med* 33:877-888  
24  
25  
26  
27  
28 Hawkins SA, Wiswell RA, Marcell TJ (2003) Exercise and the master athlete – A model of  
29 successful aging ? *J Gerontol Medical Sciences* 58A:1009-1111  
30  
31  
32 Holloszy JO, Kohrt WM (1995) Exercise. In: Bethesda, MD. *Handbook of Physiology.*  
33 *Aging.* Am. Physiol. Soc; p. 633–666  
34  
35  
36  
37  
38  
39 Hunter SK, Stevens AA, Magennis K, Skelton KW, Fauth M (2011) Is there a sex difference  
40 in the age of elite marathon runners? *Med Sci Sports Exerc* 43:656-664.  
41  
42  
43  
44 Jokl P, Sethi PM, Cooper AJ (2004) Masters's performance in the New York City marathon  
45 1983-1999. *Br J Sports Med* 38:408-412  
46  
47  
48  
49  
50 Joyner MJ, Ruiz JR, Lucia A (2011) The two-hour marathon: who and when? *J Appl Physiol*  
51 110:275-277  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

training in master running athletes. *Foot Ankle Int* 29:671-676

Lee MS, Tanaka K (1997) Significance of health fitness appraisal in an aging society.

*Appl Human Sci* 16:123-131

Lepers R (2008) Analysis of Hawaii ironman performances in elite triathletes from 1981 to 2007. *Med Sci Sports Exerc* 40:1828-1834

Lepers R., Maffiuletti N (2011) Age and gender interactions in ultra-endurance performance: insight from triathlon. *Med Sci Sports Exerc* 43:134-139

Leyk D, Erley O, Ridder D, Leurs M, Rütther T, Wunderlich M, Sievert A, Baum K, Essfeld D (2007) Age-related changes in marathon and half-marathon performances. *Int J Sports Med* 28:513-517

Leyk D, Erley O, Gorges W, Ridder D, Rütther T, Wunderlich M, Sievert A, Essfeld D, Piekarski C, Erren T (2009) Performance, training and lifestyle parameters of marathon runners aged 20-80 years: results of the PACE-study. *Int J Sports Med* 30:360-365

Pate RR, O'Neil JR (2007) American women in the marathon. *Sport Med* 37:294-298

Phillips SK, Rook KM, Siddle NC, Bruce SA, Woledge RC (1993) Muscle weakness in women occurs at an earlier age than in men, but strength is preserved by hormone replacement therapy. *Clin Sci (Lond)* 84:95-98

Ransdell LB, Vener J, Huberty J (2009) Masters athletes: an analysis of running, swimming, cycling performance by age and gender. *J Exerc Sci Fit* 7:61-73.

Samson MM, Meeuwssen IB, Crowe A, Dessens JA, Duursma SA, Verhaar HJ (2000) Relationships between physical performance measures, age, height and body weight in healthy adults. *Age Ageing* 29:235-242

Sparkling PB, O'Donnell EM, Snow TK (1998) The gender difference in distance running

inseim-00596872\_versjon 1-30\_May 2011

performance has plateaued: an analysis of world rankings from 1980 to 1996. Med Sci Sports Exerc 30:1725-1729

Tanaka H, Seals DR (2003) Invited Review: Dynamic exercise performance in masters athletes: insight into effects of primary human aging on physiological functional capacity. J Appl Physiol 95:2152-2162

Tanaka H, Seals DR (2008) Endurance exercise performance in Masters athletes: age-associated changes and underlying physiological mechanisms. J Physiol 586:55-63

Trappe S (2007) Marathon runners. How do they age ? Sports Med 37:302-305

Vihma T (2010) Effects of weather on the performance of marathon runners. Int J Biometeorol 54: 297-306

Williams PT (1997) Relationship of distance run per week to coronary heart disease risk factors in 8283 male runners. The National Runners' Health Study. Arch Intern Med 157:191-198

Williams PT (2009a) Incident hypercholesterolemia in relation to changes in vigorous physical activity. Med Sci Sports Exerc 41:74-80

Williams PT (2009b) Lower prevalence of hypertension, hypercholesterolemia, and diabetes in marathoners. Med Sci Sports Exerc 41:523-529

insepm-00596872 version 1-30 May 2011

## Figure captions

### Fig. 1

Percentages of finishers within the different age groups at the New York City marathon over the three studied decades for both males (Panel A) and females (Panel B). Values are mean  $\pm$  SD.

\*: Significantly different from the decade 1980-1989,  $P < 0.05$ .

\$ : Significantly different from the decade 1990-1999,  $P < 0.05$

### Fig. 2

Mean finish running times for the top 10 males (Panel A) and females (Panel B) in each age group at the New York City marathon over the three studied decades. Values are mean  $\pm$  SD.

\* : Significantly different from the decade 1980-1989 for the same age group,  $P < 0.01$ .

\$ : Significantly different from the decade 1990-1999 for the same age group,  $P < 0.01$

### Fig. 3

Averaged gender differences in running times at the New York City marathon over the three decades studied. Values are means  $\pm$  SE.

\*\* : Significantly different from decade 1980-1989 for the same age group,  $P < 0.01$

\$ : Significantly different from decade 1990-1999 for the same age group,  $P < 0.05$

insert-00596872 version 1-30 May 2011

Age group (yrs)	Sex	Number of finishers			Changes D2-D1 (%)	Changes D3-D2 (%)
		D1 1980- 1989	D2 1990- 1999	D3 2000- 2009		
20-29	M	28152	34729	28072	23	-19
	F	8165	19115	25680	134	34
30-39	M	58410	77269	80582	32	4
	F	12037	25939	43005	115	66
40-44	M	25314	36855	45618	46	24
	F	3971	9834	19213	148	95
45-49	M	15601	27739	31411	78	13
	F	2122	6502	12145	206	87
50-54	M	8913	20065	26050	125	30
	F	922	4034	8308	338	106
55-59	M	3921	9435	13209	141	40
	F	325	1630	3920	402	140
60-64	M	1604	4510	7527	181	67
	F	167	694	1701	316	145
65-69	M	541	1712	2650	216	55
	F	61	238	542	290	128
70-74	M	243	623	1012	156	62
	F	17	98	157	476	60
75-79	M	54	186	274	244	47
	F	4	29	60	625	107
Total	M	142753	213123	236405	49	11
	F	27770	67986	114514	145	68

**Table 1**

Number of finishers of each sex (M: male, F: female) per age group at the New York City marathon over the three decades: D1: 1980-1989, D2: 1990-1999 and D3: 2000-2009 ; and relative changes between the decades D2 and D1 and between the decades D3 and D2




Figure 1





Figure 2




Figure 3