

Table S1: 454 results of the miRNA content in AGS cells in basal conditions and upon *H. pylori* infection (MirBase 14.0).

MiRNA studied in this paper are represented in bold. *P*-values are calculated using Fisher's exact test.

MiRNA name	Number of reads		
	AGS	AGS + Hp	<i>P</i> -value
hsa-miR-372	2814	1595	5.1075 x 10⁻¹³
hsa-miR-27b	1735.5	1057.5	0.00020114
hsa-miR-200b	1564	1211	0.00800858
hsa-miR-23a	1202	1115	5.7139 x 10 ⁻¹²
hsa-miR-92a	1117	709	0.03455711
hsa-miR-23b	1071	920	4.3226 x 10 ⁻⁶
hsa-miR-200c	1007	1014	9.8946 x 10 ⁻¹⁷
hsa-miR-17	978.333313	738.333374	0.12693797
hsa-miR-16	971	662	0.5729942
hsa-miR-371-5p	919	562	0.00916823
hsa-miR-20a	896.333313	602.333313	0.42291853
hsa-miR-371-3p	558	433	0.1170863
hsa-let-7a	557.5	590.5	2.3337 x 10 ⁻¹²
hsa-miR-15b	533	465	0.00055788
hsa-miR-103	518.5	249	4.6014 x 10 ⁻⁷
hsa-miR-107	489.5	234	8.3897 x 10 ⁻⁷
hsa-miR-93	458	258	0.00458602
hsa-miR-21	447	312	0.97033239
hsa-let-7f	392.5	322.5	0.03191492
hsa-miR-25	391	302	0.21319636
hsa-miR-27a	388.5	292.5	0.36659655
hsa-miR-320d	362.666687	166.666672	3.6934 x 10 ⁻⁶
hsa-miR-320c	336.666687	150.666672	2.7853 x 10 ⁻⁶
hsa-miR-373	331	137	8.3668 x 10⁻⁸
hsa-miR-151-5p	265	178	0.66276123
hsa-miR-106b	255.5	183	0.84559503
hsa-miR-361-5p	252	172	0.80434631
hsa-miR-1297	221	168	0.4379612
hsa-let-7b	215	182.5	0.06510962
hsa-miR-24	195	145	0.61872525
hsa-let-7d	193	189	0.00118367
hsa-miR-26a	164	113.5	0.9026762
hsa-miR-125a-5p	160	80	0.01247193

hsa-miR-1308	155	199	1.3647×10^{-8}
hsa-miR-99b	129	70	0.08366475
hsa-miR-7	123	57	0.00972107
hsa-let-7g	122	131	0.00083166
hsa-miR-191	121	74	0.38182701
hsa-miR-106a	117.333336	91.3333359	0.48037254
hsa-miR-222	117	63	0.09514082
hsa-miR-320a	116.666664	29.6666679	1.2526×10^{-7}
hsa-miR-374b	113	138	1.1196×10^{-5}
hsa-miR-15a	94	41	0.01089894
hsa-miR-203	93	58	0.50840016
hsa-miR-1827	93	92.5	0.01675523
hsa-miR-22	84	60	0.93253546
hsa-let-7e	79.5	69.5	0.18197681
hsa-miR-19b	77	19	1.0072×10^{-5}
hsa-miR-221	66	39	0.42801578
hsa-miR-182	65	18	0.00020488
hsa-miR-30b	65	34	0.18408001
hsa-miR-30d	63	37	0.41711646
hsa-miR-532-3p	63	34	0.25591646
hsa-miR-34a	60	34	0.34621697
hsa-miR-194	59	46	0.62017894
hsa-miR-151-3p	50	45	0.25106272
hsa-miR-1307	50	28	0.35921821
hsa-miR-30c	44	29	0.81332648
hsa-miR-26b	43	49.5	0.01523789
hsa-miR-378	43	18	0.06861116
hsa-miR-185	40	20	0.23882918
hsa-miR-29a	38	29	0.80404246
hsa-miR-423-3p	36	23	0.79199639
hsa-miR-532-5p	36	23	0.79199639
hsa-miR-141	34	16	0.19857956
hsa-miR-1979	33	13	0.09815114
hsa-miR-148a	27	27	0.21353774
hsa-miR-190	27	11	0.1395019
hsa-miR-425	26	13	0.33475349
hsa-miR-183	25	27	0.12270808
hsa-miR-455-3p	24	8	0.07233645
hsa-miR-720	23	10	0.22044175
hsa-miR-30e	21	9	0.26633076
hsa-miR-130b	20	3	0.00522039
hsa-miR-502-3p	20	9	0.34587705
hsa-miR-590-3p	18	9	0.44123845

hsa-miR-10a	17	4	0.04532705
hsa-miR-195	16	12	0.85033946
hsa-miR-374a	16	12	0.85033946
hsa-miR-28-5p	15	17	0.20840921
hsa-let-7i	15	12	0.84540483
hsa-miR-18a	14	4	0.14905045
hsa-miR-192	14	9	1
hsa-miR-92b	14	4	0.14905045
hsa-miR-140-3p	13	6	0.48801277
hsa-miR-429	13	8	0.82817109
hsa-miR-652	13	14	0.32829731
hsa-miR-421	13	17	0.09615495
hsa-miR-365	12	10	0.67243146
hsa-miR-501-3p	12	4	0.21416522
hsa-miR-942	12	4	0.21416522
hsa-miR-28-3p	11	12	0.29679702
hsa-miR-31	11	6	0.80635255
hsa-miR-135b	11	6	0.80635255
hsa-miR-484	11	7	1
hsa-miR-497	11	1	0.01965782
hsa-miR-500	11	4	0.30286431
hsa-miR-886-5p	11	6	0.80635255
hsa-miR-98	10	16	0.04509122
hsa-miR-301a	10	2	0.13943931
hsa-miR-362-5p	10	6	0.80620105
hsa-miR-362-3p	10	7	1
hsa-miR-96	9	1	0.05453144
hsa-miR-128	9	16	0.02492443
hsa-miR-130a	9	6	1
hsa-miR-1274b	9	2	0.13885849
hsa-miR-101	8	7	0.79432724
hsa-miR-210	8	13	0.07409052
hsa-miR-324-3p	8	8	0.61278049
hsa-miR-345	8	1	0.09109875
hsa-miR-1275	8	10	0.23737726
hsa-miR-1280	8	4	0.7714738
hsa-miR-186	7	3	0.53945125
hsa-miR-330-3p	7	5	1
hsa-miR-1301	7	3	0.53945125
hsa-miR-454	7	3	0.53945125
hsa-miR-1975	7	0	0.04643186
hsa-miR-215	6	7	0.40474737
hsa-miR-200a	6	6	0.56783778
hsa-miR-361-3p	6	6	0.56783778
hsa-miR-339-5p	6	1	0.25175261

hsa-miR-671-5p	6	3	0.74471826
hsa-miR-744	6	1	0.25175261
hsa-miR-302b	5.66666651	1.83333337	0.48349435
hsa-miR-132	5	3	1
hsa-miR-1303	5	4	1
hsa-miR-1268	5	3	1
hsa-miR-19a	4	1	0.65491635
hsa-miR-29c	4	1	0.65491635
hsa-miR-324-5p	4	0	0.14820995
hsa-miR-486-5p	4	6	0.33572563
hsa-miR-146b-5p	4	2	1
hsa-miR-574-3p	4	3	1
hsa-miR-615-3p	4	2	1
hsa-miR-877	4	3	1
hsa-miR-302e	3.66666627	1.33333337	0.65491516
hsa-miR-302f	3.66666627	1.33333337	0.65491516
hsa-miR-196a	3	2	1
hsa-miR-197	3	7	0.10382156
hsa-miR-125a-3p	3	1	0.64773039
hsa-miR-149	3	3	0.69576509
hsa-miR-574-5p	3	0	0.2730918
hsa-miR-584	3	3	0.69576509
hsa-miR-1226	3	0	0.2730918
hsa-miR-1261	3	3	0.69576509
hsa-miR-218	2	0	0.51539453
hsa-miR-140-5p	2	1	1
hsa-miR-296-3p	2	0	0.51539453
hsa-miR-375	2	0	0.51539453
hsa-miR-148b	2	3	0.40893409
hsa-miR-331-3p	2	1	1
hsa-miR-423-5p	2	4	0.23774553
hsa-miR-486-3p	2	0	0.51539453
hsa-miR-501-5p	2	0	0.51539453
hsa-miR-502-5p	2	0	0.51539453
hsa-miR-505	2	1	1
hsa-miR-573	2	0	0.51539453
hsa-miR-548c-5p	2	1	1
hsa-miR-660	2	0	0.51539453
hsa-miR-935	2	4	0.23774553
hsa-miR-519c-5p	1.5	0.5	1
hsa-miR-519b-5p	1.5	0.5	1
hsa-miR-32	1	0	1
hsa-miR-181b	1	0	1
hsa-miR-199b-5p	1	0	1
hsa-miR-204	1	0	1

hsa-miR-219-5p	1	0	1
hsa-miR-152	1	0	1
hsa-miR-184	1	1	1
hsa-miR-302a	1	0	1
hsa-miR-330-5p	1	0	1
hsa-miR-331-5p	1	2	0.57274506
hsa-miR-339-3p	1	4	0.16689864
hsa-miR-335	1	2	0.57274506
hsa-miR-193b	1	2	0.57274506
hsa-miR-181d	1	0	1
hsa-miR-518b	1	0	1
hsa-miR-455-5p	1	1	1
hsa-miR-550	1	0	1
hsa-miR-624	1	0	1
hsa-miR-628-5p	1	1	1
hsa-miR-641	1	0	1
hsa-miR-642	1	2	0.57274506
hsa-miR-643	1	0	1
hsa-miR-767-5p	1	0	1
hsa-miR-1283	1	0	1
hsa-miR-874	1	0	1
hsa-miR-301b	1	0	1
hsa-miR-1180	1	0	1
hsa-miR-1246	1	3	0.31291113
hsa-miR-1257	1	0	1
hsa-miR-1259	1	0	1
hsa-miR-1274a	1	2	0.57274506
hsa-miR-548i	1	1	1
hsa-miR-664	1	2	0.57274506
hsa-miR-2110	1	0	1
hsa-miR-2277	1	2	0.57274506
hsa-miR-2278	1	1	1
hsa-let-7c	0.5	4.5	0.02887547
hsa-miR-20b	0.5	0	1
Total (reads)	25348	17778.5	

Table S2: miRNA listed in regards of their known function.

MiRNA counting more than 100 reads (>0.4% reads) correspond to those of Figure 1.

Hypoxia		
miRNA	Number of reads in AGS cells	References
miR-23a	1202	[1, 2]
miR-92a	1117	[1-3]
miR-17	978	[1-3]
miR-20a	896	[1-3]
miR-21	447	[1, 2]
miR-373	331	[1, 2, 4]
miR-26a	164	[1, 2]
miR-191	121	[1, 2]
miR-19b	77	[1-3]
miR-30d	63	[1, 2]
miR-18a	14	[1-3]
miR-192	14	[1, 2]
miR-210	8	[1, 2, 5]
miR-200a	6	[1, 2]
miR-19a	4	[1-3]
miR-181b	1	[1, 2]
Total (reads)	5443	
Total (%)	21	

Stem cell signature		
Embryonic stem cell		
miRNA	Number of reads in AGS cells	References
miR-372	2814	[6, 7]
miR-200c	1007	
miR-371-5p	919	
miR-371-3p	558	
miR-21	447	
miR-373	331	
miR-222	117	
miR-374b	113	
miR-374a	16	
miR-301a	10	
miR-301b	1	
Sum (reads)	6333	
Sum (%)	25.5	
Somatic stem cells		
miRNA	Number of reads in AGS cells	References
miR-17	978	[6, 7]
miR-16	971	
miR-20a	896	
miR-103	518	

miR-107	489	
miR-24	195	
miR-106a	117	
miR-128	9	
miR-181b	1	
Sum (reads)	4174	
Sum (%)	16.5	
Total (reads)	10507	
Total (%)	41.4	

Table S3: *H. pylori* strains used in this study.

Name	Origin	Characteristics	References
CIP 106780	CIP Pasteur	26695 sequenced reference strain	[8]
CagA-1	derived of 26695 strain	HP0547:: <i>aphA3</i> ^c ; Km ^R	this study
CagE-1	derived of 26695 strain	HP0544:: <i>aphA3</i> ^c ; Km ^R	this study
P12	T. Meyer	P12 sequenced reference strain	Laboratory stock
SS1	H. de Reuse		Laboratory stock
X47-2AL			Laboratory stock

Table S4: Oligonucleotides used in this study.

Sequences are given in 5'→3' direction. For LNA antisenses small letters indicate DNA, whereas capital letters indicate LNA. Antisense miRNA is abbreviated as asnumber of the miRNA. Sequences homologous to the *aphA-3'* kanamycin resistance cassette gene are shown in italics, lower case letters.

Oligo	Sequence	Used for	Gene	Name	References
FD142	<i>gttagtcacccgggtacGTGCTTTGAACATTCTTATT</i>	Mutant construction (Rev)	HP0547	cagA	This study
FD143	CAAGCAAAACAAACCAAGCTGATCAGAG	Mutant construction (Fwd)	HP0547	cagA	
FD144	<i>tacctggagggaataatggGATTAAGGAATACCAAAAC</i>	Mutant construction (Fwd)	HP0547	cagA	
FD145	CTTAGGATCGAAAATTGCGAGGTATTTTG	Mutant construction (Rev)	HP0547	cagA	
FD146	CGACGCTTTGTTGGTAAC	Mutant construction (Fwd)	HP0547	cagA	
FD152	<i>gttagtcacccgggtacCCCTCTTTATAGATATAACC</i>	Mutant construction (Rev)	HP0544	cagE	
FD153	GAAAAAAACACTCCAATGGGCTTGTAT	Mutant construction (Fwd)	HP0544	cagE	
FD154	<i>tacctggagggaataatgCAAAGCATCACTGATCTTTG</i>	Mutant construction (Fwd)	HP0544	cagE	
FD155	GAAAAACTATCCAAAATCGTCAAGACATCA	Mutant construction (Rev)	HP0544	cagE	
FD156	GTAATAAAAAACTGAGAGGC	Mutant construction (Fwd)	HP0544	cagE	
FD70	GTACCCGGGTGACTAACTAGG	Mutant construction (Fwd)	<i>aphA3'</i>	Kanamycin	
FD71	CATTATTCCCTCCAGGTACTA	Mutant construction (Rev)	<i>aphA3'</i>	Kanamycin	
F-LATSUTR	AAAACTCGAGCTTAGATGGGGGCCAGGCACCCCCA	EGFP-3'UTR LATS2 construction			
R-LATSUTR	AAAAGGATCCCATTATTGCACAGAGATTCTCATCAATGT				
CS60	acGctCaaAtgTcgCagCacTtt	LNA Northern blot probe and as372			miR-372
CS61	acAccCcaAaaTcgAagCacTtc	LNA Northern blot probe and as373			miR-373
CS16	CACGAATTGCGGTGTCATCCTT	LNA Northern blot probe	<i>RNU6-1</i>	U6 snRNA	
CS63	caCgtAcaTagTgcAccGatCtt	LNA antisense control		scramble miR-372	
CS64	caCacCacAatAgcAacGcaTtc			scramble miR-373	
3Fw-primiR371	AGTTTGCAGTGAGCCGAGAT	qPCR		primiR-371-372-373	
3Rev-primiR371	ATACAGCCCTTGGTCACAG			primiR-371-372-373	
LATS2-Rev	CCCGCACAATCTGCTCATTC		<i>LATS2</i>	<i>LATS2</i>	[9]
LATS2-Fw	CAGGATGCGACCAGGAGATG				
Fw-P0	GCGACCTGGAAGTCCAAC		<i>RPLP0</i>	P0	This study
Rev-P0	CCATCAGCACACAGCCTTC				
372-RNA	AAAGUGCGUCGACAUUUGAGCGU	mimic 372	<i>hsa-miR-372</i>	miR-372	This study
372*-RNA	CUAAAUGUGGAGCACUAUUCU		<i>hsa-miR-372*</i>	miR-372*	
373-RNA	GAAGUGCUUCGAUUUUGGGUGU	mimic 373	<i>hsa-miR-373</i>	miR-373	
373*-RNA	ACUAAAUGGGGCGCUUUC		<i>hsa-miR-373*</i>	miR-373*	

References

1. Kulshreshtha R, Ferracin M, Wojcik SE, Garzon R, Alder H, Agosto-Perez FJ, Davuluri R, Liu CG, Croce CM, Negrini M, et al: **A microRNA signature of hypoxia.** *Mol Cell Biol* 2007, **27**:1859-1867.
2. Guimbellot JS, Erickson SW, Mehta T, Wen H, Page GP, Sorscher EJ, Hong JS: **Correlation of microRNA levels during hypoxia with predicted target mRNAs through genome-wide microarray analysis.** *BMC Med Genomics* 2009, **2**:15.
3. Yan HL, Xue G, Mei Q, Wang YZ, Ding FX, Liu MF, Lu MH, Tang Y, Yu HY, Sun SH: **Repression of the miR-17-92 cluster by p53 has an important function in hypoxia-induced apoptosis.** *Embo J* 2009, **28**:2719-2732.
4. Crosby ME, Kulshreshtha R, Ivan M, Glazer PM: **MicroRNA regulation of DNA repair gene expression in hypoxic stress.** *Cancer Res* 2009, **69**:1221-1229.
5. Mathew LK, Simon MC: **mir-210: a sensor for hypoxic stress during tumorigenesis.** *Mol Cell* 2009, **35**:737-738.
6. Suh MR, Lee Y, Kim JY, Kim SK, Moon SH, Lee JY, Cha KY, Chung HM, Yoon HS, Moon SY, et al: **Human embryonic stem cells express a unique set of microRNAs.** *Dev Biol* 2004, **270**:488-498.
7. Gangaraju VK, Lin H: **MicroRNAs: key regulators of stem cells.** *Nat Rev Mol Cell Biol* 2009, **10**:116-125.
8. Tomb JF, White O, Kerlavage AR, Clayton RA, Sutton GG, Fleischmann RD, Ketchum KA, Klenk HP, Gill S, Dougherty BA, et al: **The complete genome sequence of the gastric pathogen Helicobacter pylori.** *Nature* 1997, **388**:539-547.
9. Voorhoeve PM, le Sage C, Schrier M, Gillis AJ, Stoop H, Nagel R, Liu YP, van Duijse J, Drost J, Griekspoor A, et al: **A genetic screen implicates miRNA-372 and miRNA-373 as oncogenes in testicular germ cell tumors.** *Cell* 2006, **124**:1169-1181.