



Differential regulation of motility and immune synapses by CD28/ CTLA-4 costimulation in effector and regulatory T cells

Nahzli Dilek, Nicolas Poirier, Philippe Hulin, Gilles Blancho, Bernard Vanhove

► To cite this version:

Nahzli Dilek, Nicolas Poirier, Philippe Hulin, Gilles Blancho, Bernard Vanhove. Differential regulation of motility and immune synapses by CD28/ CTLA-4 costimulation in effector and regulatory T cells. 7th European Workshop on Immune-Mediated Inflammatory Diseases, Nov 2012, Netherlands. pp.P6. inserm-00758215

HAL Id: inserm-00758215

<https://inserm.hal.science/inserm-00758215>

Submitted on 28 Nov 2012

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



POSTER PRESENTATION

Open Access

Differential regulation of motility and immune synapses by CD28/CTLA-4 costimulation in effector and regulatory T cells

Nahzli Dilek^{1,2}, Nicolas Poirier^{1,2}, Philippe Hulin^{1,2}, Gilles Blancho^{1,2}, Bernard Vanhove^{1,2*}

From 7th European Workshop on Immune-Mediated Inflammatory Diseases
Noordwijk aan Zee, the Netherlands. 28-30 November 2012

Background

We have previously shown that antagonist anti-CD28 antibodies block CD28/CD80-86 costimulation without perturbation of the CTLA-4/CD80-86 inhibitory pathway and favor tolerance induction by increasing Treg suppression in a CTLA-4 dependent manner. Since CTLA-4 is transducing signals that block the TCR-STOP signal, described to allow for T cell arrest and formation of immune synapses, we hypothesized that CTLA-4 might play a major role in the mechanism of action of anti-CD28 antibodies by regulating T cell motility and synapses formation.

Materials, methods and results

Here, we generated human CD4⁺CD25⁺CD127⁺ Teff and CD4⁺CD25^{high}CD127^{low}Foxp3⁺ Treg cell lines and analyzed their behavior in contact with cognate APCs by live-cell dynamic microscopy in the presence of CD28 and CTLA-4 antagonists. CD28 blockade prevented formation of stable contacts between Teff and APCs (11.93 ± 1.175 vs 4.167 ± 1.191 min; $p < 0.05$), increased Teff mobility (100.5 ± 6.032 vs 204.8 ± 17.54 μ m; $p < 0.0001$) and decreased cell activation measured by calcium flux (0.377 ± 0.028 vs 0.154 ± 0.024 calcium peaks/min; $p < 0.0001$). In contrast, CD28 antagonists enhanced Treg/APC contacts (5.057 ± 0.866 vs 13.81 ± 1.104 min; $p < 0.0001$) and increased calcium flux (0.486 ± 0.048 vs 0.677 ± 0.06 calcium peaks/min; $p < 0.05$), resulting in an increase of Treg activation. The simultaneous blockade of CTLA-4 with antibodies or of CD80/86 with CTLA4Ig reversed some of these effects: it restored the STOP signal and reduced motility/velocity in Teff whereas

it increased velocity in Treg and abolished Treg/APC contacts.

Conclusion

Our data shed light on the role of CD28 and CTLA-4 that act as a rheostat to differentially control Teff and Treg function and clarify the observations that selective CD28-blockade but not CD80/86 blockade reinforces Treg cell suppression *in vitro*.

Author details

¹Institute of Transplantation Urology Nephrology, University of Nantes, INSERM UMR 1064, Nantes, France Effimune, Nantes, France. ²IMPACT INSERM platform, Nantes, France.

Published: 28 November 2012

doi:10.1186/1479-5876-10-S3-P6

Cite this article as: Dilek et al.: Differential regulation of motility and immune synapses by CD28/CTLA-4 costimulation in effector and regulatory T cells. *Journal of Translational Medicine* 2012 **10**(Suppl 3):P6.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit



¹Institute of Transplantation Urology Nephrology, University of Nantes, INSERM UMR 1064, Nantes, France Effimune, Nantes, France
Full list of author information is available at the end of the article