

Medale, Supplemental Table 1

	No adjuvant tamoxifen treatment n = 51	Tamoxifen adjuvant treatment n = 62	p	Total n = 113
Age median [range]	58 [48-74]	60 [51-74]	0.1284	60 [48-74]
Lymph nodes negative	25 (49%)	14 (23%)	0.0039	39 (34.8%)
Lymph nodes positive	26 (51%)	47 (77%)		73 (65.1%)
Missing data	0	1		1
Histological size <2 cm	21 (45.7%)	16 (27.1%)	0.0486	37 (35.2%)
Histological size ≥ 2 cm	25 (54.3%)	43 (72.9%)		68 (64.8%)
Missing data	5	3		8
Grade I and II	31 (62%)	34 (55.7%)	0.5052	65 (58.6%)
Grade III	19 (38%)	27 (44.3%)		46 (41.4%)
Missing data	1	1		2
Number mitose/ mm ² : median [range]	2.5 [0.4-13.0]	5.1 [0.4-13.0]	0.0556	3.8 [0.4-13.0]
Ductal carcinoma	44 (86.3%)	47 (75.8%)	0.4377	91 (80.5%)
Lobular carcinoma	4 (7.8%)	9 (14.5%)		13 (11.5%)
others	3 (5.9%)	6 (9.7%)		9 (8.0%)
ERα positive	34 (68%)	40 (64.5%)	0.6987	74 (66.1%)
ERα negative	16 (32%)	22 (35.5%)		38 (33.9%)
Missing data	1	0		1
PR positive	30(60%)	29 (46.7%)	0.1634	59 (52.7%)
PR negative	20 (40%)	33 (53.2%)		53 (47.3%)
Missing data	1	0		1
LVI positive	11 (22.8%)	12 (21.8%)	0.9383	23 (221.1%)
LVI negative	38 (77.6%)	43 (78.2%)		81 (77.9%)
Missing data	2	7		9