

Low levels of HTLV-2 Tax conjugation to ubiquitin and SUMO do not impede Tax-mediated activation of NF- κ B

Chloé Journo, Amandine Bonnet, Arnaud Favre-Bonvin, Jocelyn Turpin, Jennifer Vinera, Emilie Côté, Sébastien Chevalier, Youmna Kfoury, Ali Bazarbachi, Claudine Pique, et al.

▶ To cite this version:

Chloé Journo, Amandine Bonnet, Arnaud Favre-Bonvin, Jocelyn Turpin, Jennifer Vinera, et al.. Low levels of HTLV-2 Tax conjugation to ubiquitin and SUMO do not impede Tax-mediated activation of NF- κ B. Retrovirology, 2014, 11 (Suppl 1), pp.O42. 10.1186/1742-4690-11-S1-O42. inserm-00924956

HAL Id: inserm-00924956 https://inserm.hal.science/inserm-00924956

Submitted on 7 Jan 2014

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



ORAL PRESENTATION

Open Access

Low levels of HTLV-2 Tax conjugation to ubiquitin and SUMO do not impede Tax-mediated activation of NF- κ B

Chloé Journo^{1*}, Amandine Bonnet², Arnaud Favre-Bonvin², Jocelyn Turpin¹, Jennifer Vinera¹, Emilie Côté¹, Sébastien A Chevalier¹, Youmna Kfoury³, Ali Bazarbachi³, Claudine Pique², Renaud Mahieux¹

From 16th International Conference on Human Retroviruses: HTLV and Related Viruses Montreal, Canada. 26-30 June 2013

Constitutive activation of NF- κ B by HTLV-1 Tax is a key event in the process of T lymphocyte immortalization and leukemogenesis. Tax1 is post-translationally modified by both ubiquitin and SUMO. These modifications were originally thought to be required for Tax1mediated NF- κ B activation by allowing recruitment of IKK-y/NEMO together with Tax1 in Golgi-associated cytoplasmic domains, followed by activation of the IKK complex and RelA/p65 nuclear translocation. Although HTLV-2 Tax also activates the canonical NF- κ B pathway, the requirement of post-translational modifications had not been investigated so far. We therefore compared the ubiquitination, SUMOylation, and acetylation patterns of Tax2 and Tax1. We first show that in contrast to Tax1, Tax2 conjugation to endogenous ubiquitin and SUMO is barely detectable while both Tax2 and Tax1 are acetylated. Consistent with these observations, overexpression of the E2 ubiquitin-conjugating enzyme Ubc13 does not affect Tax2 conjugation to ubiquitin and Tax2-mediated NF- κ B activation. We further identify the domains surrounding Tax1 lysine residues K4-10 and K6-10 as critical determinants of Tax conjugation to ubiquitin and SUMO, respectively. We finally demonstrate that a non-ubiquitinable, non-SUMOylable, and non-acetylable Tax2 mutant retains a significant ability to activate transcription from a NF- κ B-dependent promoter after partial activation of the IKK complex and induction of RelA/p65 nuclear translocation. Taken together, these results thus indicate that Tax2 does not share Tax1 requirements toward ubiquitination and

SUMOylation for efficient NF- κ B activation and highlight key distinctions between both viral proteins. These results will be discussed in the light of the recent findings from other labs.

Authors' details

¹Oncogenèse Rétrovirale, équipe labellisée Ligue nationale contre le cancer, CIRI, INSERM U1111-CNRS UMR5308, Université Lyon 1, Ecole Normale Supérieure de Lyon, LabEx ECOFECT, Lyon, Cedex 07, France. ²Institut Cochin, INSERM U1016-CNRS UMR8104, Université Paris Descartes, Paris, France. ³Department of Internal Medicine, Faculty of Medicine, American University of Beirut, Beirut, Lebanon.

Published: 7 January 2014

doi:10.1186/1742-4690-11-S1-O42

Cite this article as: Journo *et al.*: Low levels of HTLV-2 Tax conjugation to ubiquitin and SUMO do not impede Tax-mediated activation of NF- κ B. *Retrovirology* 2014 11(Suppl 1):O42.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at www.biomedcentral.com/submit



¹Oncogenèse Rétrovirale, équipe labellisée Ligue nationale contre le cancer, CIRI, INSERM U1111-CNRS UMR5308, Université Lyon 1, Ecole Normale Supérieure de Lyon, LabEx ECOFECT, Lyon, Cedex 07, France Full list of author information is available at the end of the article

