

Update of an Occupational Asthma-specific Job-Exposure Matrix to assess exposure to 30 specific agents

Nicole Le Moual^{1,2}, Jan-Paul Zock^{3,4,5}, Orianne Dumas^{1,2}, Theodore Lytras^{3,4}, Eva Andersson⁶, Linnéa Lillienberg⁶, Vivi Schlünssen⁷, Geza Benke⁸, Hans Kromhout⁹

¹Inserm, U1168, VIMA: Aging and chronic diseases. Epidemiological and public health approaches, F-94807, Villejuif, France

²Univ Versailles St-Quentin-en-Yvelines, UMR-S 1168, F-78180, Montigny Le Bretonneux, France

³Barcelona Institute of Global Health (ISGlobal), Barcelona, Spain

⁴Universitat Pompeu Fabra (UPF), Barcelona, Spain

⁵CIBER Epidemiología y Salud Pública (CIBERESP), Madrid, Spain

⁶Department of Occupational and Environmental Medicine, Sahlgrenska University Hospital, Gothenburg, Sweden

⁷Department of Public Health, Danish Ramazzini Centre, Aarhus University and National Research Center for the Working Environment, Copenhagen, Denmark

⁸Monash Centre for Occupation and Environmental Health, School of Public Health and Preventive Medicine, Monash University, Melbourne, Australia

⁹Department of Environmental Epidemiology, Institute for Risk Assessment Sciences, Utrecht University, Utrecht, the Netherlands

Correspondence

Nicole Le Moual

Inserm U 1168 / VIMA

Aging and chronic diseases. Epidemiological and public health approaches.

16, avenue Paul Vaillant Couturier

94807 Villejuif Cedex, France

e-mail: nicole.lemoual@inserm.fr

Tel: 33 1 45 59 50 70

Fax: 33 1 45 59 51 69

ONLINE SUPPLEMENT

Figure E1 – Summary of the principles of exposure evaluation by the Asthma-specific JEM

Exposure estimate in yes (1) or no (0) for each ISCO-88 code						
ISCO88 job codes	18 asthmagenic products (high probability)			4 other exposures (Low asthma risk)		Expert re-evaluation
	(1)*	(2) ° ...	(18)	(1) ...	(4)	
5132, personal care workers	1	1 ...	0	0 ...	0	0
2221, doctors	0	0 ...	0	0 ...	0	1

* Reactive cleaning /disinfecting products, ° latex

Job poorly defined or with heterogeneous exposure

YES

NO

Expert re-evaluation

Exposure attributed by the JEM to a given subject is checked by an expert

Estimate by job and ascribed to each subject with this job

This Asthma-specific JEM¹ is freely available on <http://asthmajem.vjf.inserm.fr/>

The Asthma-specific job-exposure matrix is a two dimensional table with a job axis made up by ISCO88 job codes and an agent axis consisting of eighteen categories of asthmagenic products and 4 products at low risk for asthma. Exposure is classified as yes or no exposed. In addition, jobs poorly defined or with heterogeneous exposures (out of 506 ISCO-88 job codes) were identified and classified as ‘expert re-evaluation step needed’ (yes/no) with linked comments and recommendations according to each specific exposure to review. The Expert re-evaluation is an important step and a strength of the method.

When applying the JEM to a study, for a given participant, each reported job code was classified as exposed (yes/no), for each specific exposure, and as ‘expert re-evaluation needed’ (yes/no). In the case of re-evaluation, the exposure attributed by the JEM is checked by an expert and modified if necessary by the expert directly at participant level after taking into account his corresponding job, industry and tasks descriptions (which is the case for doctors; ISCO88 code: 2221; instructions in the expert re-evaluation step : ‘recode latex=1 if surgeon). Personal care workers (code 5132) were classified as exposed to industrial cleaning products and latex. For this job, the expert step is not needed; exposure estimated for this job is ascribed to each subject with this job in the studied population.

Table E1 – Description of main studies in respiratory or immunologically –related diseases in which the Asthma-specific JEM was applied

Study Europe	Published years	Country	Design	Expert re-evaluation	Asthma or respiratory -related phenotypes			Healthy Worker Effect (HWE)	Other diseases
					Phenotypes	Exposure and disease	Jobs and disease		
ECRHS I/ II ²⁻⁶	2004; 2007; 2014; 2016	Europe n= 1336 to 7077	Population-based	Yes	Asthma incidence Rhinitis incidence Asthma control		Cleaners, medical professions	-	-
EGEA I/ II ^{1,3,7-14}	2000; 2005; 2011 to 2016	France n=376 to 689	Case-control	Yes	Current, severe, work- / non-work-related asthma Biological markers	Highly reactive cleaning agents, irritants (low to high level)	Personal care workers	Hire effect Survivor effect	-
PAARC ¹⁵	2004	France n=14151	Population-based	No	4 asthma phenotypes such as ever and adult-onset	Highly reactive chemicals and cleaning agents	Cleaners Personal care workers	-	-
B58C ^{16,17}	2011; 2013	UK n= 5020 to 7406	Population-based birth cohort	Yes	Adult-onset asthma	HMW, LMW, cleaning agents, irritants	Cleaning jobs	Job choices	-
RHINE ¹⁸	2014	Northern Europe n=13284	Population-based	Yes	New-onset atopic and non-atopic asthma	LMW, cleaning agents, irritants (low to high level)		-	-
Estonian genome center ¹⁹	2014	Estonia n=34015	Population-based	No	4 phenotypes (physician-diagnosed; current treated asthma ...)	HMW (flour, animals) Low/moderate level of irritants	Cleaning jobs Healthcare workers	-	-
ISAAC/SOLAR ²⁰⁻²⁴	2006; 2007	Germany n=1416 to 2857	Population-based	No	Rhinitis Atopic dermatitis Allergy Sensitisation	LMW	-	Job choices Healthy hire effect	-
Lymphoma study ²⁵	2004	Spain n=1073	Case-control	Yes	-	-	-	-	Hodgkin's and other lymphoma
Active Swedish workers ²⁶	2008	Sweden n=3 million	Cohort linked to national cancer, death registries	No	-	-	-	-	Multiple myeloma
Italian Study ²⁷	2009	Italy n=4061	Multicenter case-control	Yes	-	-	-	-	Hodgkin's and other lymphoma
Epilymph ²⁸	2013	Europe n=4501	Case-control	No	-	-	-	-	Hodgkin's and other lymphoma

Table E1 – Description of main studies in respiratory or immunologically –related diseases in which the Asthma-specific JEM was applied (continued)

Study Outside Europe	Published years	Country	Design	Expert re-evaluation	Asthma or respiratory -related phenotypes			Healthy Worker Effect (HWE)	Other diseases
					Phenotypes	Exposure and disease	Jobs and disease		
Taiwan ²⁹	2010	Taiwan n=1512	Case-control study	Yes	Atopic and non-atopic asthma	HMW, LMW, cleaning agents	-	-	-
Apprentice cohort ³⁰	2009	Canada n=408	Working in animal health, technology, pastry making, dental hygiene	Yes	Sensitization	HMW	-	-	-
Apprentice cohort ³¹	2014	Canada n=202	Car painting	No	incident work-related respiratory symptoms	Isocyanates	-	-	-
Clinical asthma ³²	2016	Canada n=179	Asthmatics recruited at pulmonary clinics	No	work-related respiratory symptoms	LMW	trades, transport and equipment operators	-	-
TAHS ³³	2013	Australia n=792	Cohort of children (7 years old at baseline)	Yes	New onset-asthma	Latex Highly reactive cleaning agents	Healthcare workers	-	-
Clinical asthma ³⁴	2014	Australia n=66	Refractory asthma	No	Biomarkers (neutrophils)	asthmagens	-	-	-

ECRHS: European respiratory survey ; EGEA: Epidemiological study on genetic and environment of asthma; PAARC: pollution atmosphérique et affections respiratoires chroniques ; ISAAC : International Study of Asthma and Allergies in Childhood / SOLAR: Study on Occupational Allergy Risks; follow-up of participants from ISAAC; TAHS : Tasmanian Longitudinal Health Study;

These papers allow evaluating (1) efficiency and accuracy of the method^{1,4,8,15,30}, (2) usefulness of the application of this method to study occupational exposures and asthma-related phenotypes among adults^{5,7,21,29} and children^{35,36}, healthy worker effect^{9,16,20}, lymphoma immunologically-related diseases^{25,27}, or (3) less specific topics³⁷⁻⁴⁶. In addition, (4) some papers have revised the Asthma-specific JEM by taking into account specificities of the country⁴⁷⁻⁴⁹ or (5) use only the method to defined large groups of exposure^{50,51}.

Table E2 - List of agents selected or excluded at each step - New Occupational Asthma-specific JEM

Agents	First step included	Second step excluded	Second step included	Last step excluded
Animals	1			
Fish/ Shellfish	1			
Flour	1			
Foods	1			
Plants-related dusts	1			
Mites ^o	1	1		
House dust Mites			1	
Storage Mites			1	
Plant Mites			1	
Enzymes	1			
Latex	1			
Textile	1			
Moulds	1			
<i>Bacteria*</i>	<i>1</i>			<i>1</i>
Endotoxin	1			
Drugs	1			
<i>Highly reactive chemicals[§]</i>	<i>1</i>	<i>1</i>		
High level chemical disinfectants	1			
Aliphatic Amines	1			
Isocyanates	1			
Acrylates	1			
Epoxy resins	1			
Persulphates/Henna	1			
Wood #	1			
Metal	1			
Metal Working Fluids	1			
<i>Irritants peaks*</i>	<i>1</i>			<i>1</i>
Herbicides			1	
Insecticides			1	
Fungicides			1	
Indoor cleaning	1			
Bleach	1			
Organic Solvents	1			
Exhaust fumes	1			
<i>Environmental Tobacco smoke*</i>	<i>1</i>			<i>1</i>
<i>Dusts, gases, fumes in general[§]</i>	<i>1</i>	<i>1</i>		

^o The category mites was split in three sub-categories : house dusts, storage, plant

[§] Highly reactive chemical was excluded from the list but considered as a large group; Dusts, gases, fumes was excluded as may be evaluated in each study from all other exposures evaluation of the OAsJEM

* Exposure categories excluded at last step by consensus with all experts – the experts believed that these specific exposures are too difficult to evaluate by a JEM (not optimal) – Bacteria was excluded because too close to endotoxin evaluation (same exposure coding)

All kind of wood as significant associations were suggested with several wood-related jobs, not only for antigenic wood (e.g. western red cedar)⁵²⁻⁵⁴

Table E3- Examples of evaluation at various steps – Latex

ISCO-88	Standard description	Exposure level *		Expert re-evaluation step of exposure (no/yes)
		0:no <i>Step 1</i>	1:medium <i>Step 2</i>	
2212	Pharmacologists, pathologists	1/1/1	-	No
2220	Health professionals (except nursing)	1/2/1	1	Yes
2221	Medical doctors	1/2/2	1	Yes
2224	Pharmacists	1/1/0	1	No
2230	Nursing and midwifery professionals	2/2/2	-	Yes

* Exposure level evaluated by each expert: expert 1/ expert 2/ expert 3 Consistent evaluation of exposure by the 3 experts at step 1 → final decision (step 2: -)

In case of disagreement between the 3 experts regarding evaluation of exposure at step 1, the final decision was taken by consensus at step 2: in the 3 examples above, experts decided to classified these jobs with medium exposure (1) at step2.

Table E4- Examples of recommendations for medical work with high exposure to latex

ISCO-88	Standard description	Verification		Recommendation Comments for the expert re-evaluation step (exposure)
		ISCO	Exposure	
2221	Medical doctors	0	1	recode latex=2 if surgeon or <u>clear evidence</u> of use of latex gloves, recode latex=0 if <u>clear evidence of no use of latex gloves (e.g. > 2000 or < 1975)</u> otherwise keep 1 - take into account time axis, workers were considered exposed between 1975-2000 (especially in operating room; less risk as few powdered gloves after 1995-2000 and no latex gloves before 1975-1980, according to countries)
2230	Nursing and midwifery professionals	0	1	recode latex=0 for nurses not based in hospitals (eg. public health nurse, district nurse, nurse in school, occupational health nurse, research nurse, nurse educator etc.); recode latex=0 if <u>clear evidence of no use</u> of latex gloves (e.g. > 2000) - take into account time axis, workers were considered exposed between 1975-2000 (especially in operating room; less risk as few powdered gloves after 1995-2000 according to countries, no latex gloves before 1975-1980); keep latex=2 for midwives, otherwise recode latex=1

Table E5 - Examples of jobs classified at high exposure level

Agents	n*	Examples of ISCO88 Jobs- labels
Animals	6	2223- Veterinarians; 6121- Dairy and livestock producers; 6122- Poultry producers
Fish/ Shellfish	4	6152- Inland and coastal waters fishery/ workers; 6153- Deep-sea fishery workers; 9213- Fishery, hunting and trapping labourers
Flour	2	7412- Bakers, pastry-cooks and confectionery makers; 8273- Grain- and spice-milling-machine operators
Foods	1	8272- Dairy-products machine operators
Plants-related dusts	3	6111- Field crop and vegetable growers; 6113- Gardeners, horticultural and nursery growers; 8273- Grain- and spice-milling-machine operators
House dust Mites	1	9131- Domestic helpers and cleaners
Storage Mites	0	
Plant Mites	2	6111- Field crop and vegetable growers; 6113- Gardeners, horticultural and nursery growers
Enzymes	0	
Latex	6	2222- Dentists; 2223- Veterinarians; 2230- Nursing and midwifery professionals
Textile	3	7431- Fibre preparers; 8261- Fibre-preparing-, spinning- and winding machine operators; 8262- Weaving- and knitting-machine operators
Moulds	3	6122- Poultry producers; 6124- Mixed-animal producers; 9161- Garbage collectors
Endotoxin	8	6121- Dairy and livestock producers; 6122- Poultry producers; 6124- Mixed-animal producers; 6130- Market-oriented crop and animal producers
Drugs	2	3227- Veterinary assistants; 3228- Pharmaceutical assistants
High level chemical disinfectants	3	6121- Dairy and livestock producers; 6122- Poultry producers; 7411- Butchers, fishmongers and related food preparers
Aliphatic Amines	3	7223- Machine-tool setters and setter-operators; 7224- Metal wheel-grinders, polishers and tool sharpeners
Isocyanates	1	7142- Varnishers and related painters
Acrylates	0	
Epoxy resins	4	7132- Floor layers and tile setters ; 7142- Varnishers and related painters ; 7231- Motor vehicle mechanics and fitters
Persulphates/Henna	1	5141- Hairdressers, barbers, beauticians and related workers
Wood	5	7422- Cabinet makers and related workers; 7423- Woodworking machine setters and setter-operators; 8141- Wood-processing-plant operators
Metal	7	7211- Metal moulders and coremakers; 7212- Welders and flamecutters ; 8121- Ore and metal furnace operators
Metal Working Fluids	5	7222- Tool-makers, related workers; 7223- Machine-tool setters, setter-operators; 8211- Machine-tool operators
Herbicides	7	6111- Field crop and vegetable growers; 6112- Tree and shrub crop growers ; 9212- Forestry labourers
Insecticides	9	6111- Field crop and vegetable growers; 6112- Tree and shrub crop growers; 6113- Gardeners, horticultural and nursery growers;
Fungicides	9	6111- Field crop and vegetable growers; 6112- Tree and shrub crop growers; 7421- Wood treaters
Indoor cleaning	3	5132- Institution-based personal care workers; 9131- Domestic helpers and cleaners; 9132- Helpers and cleaners in offices, hotels and other establishments
Bleach	2	5132- Institution-based personal care workers; 9131- Domestic helpers and cleaners
Organic Solvents	13	5141- Hairdressers, barbers, beauticians and related workers; 7141- Painters and related workers; 7341- Compositors, typesetters
Exhaust fumes	13	3141- Ships' engineers; 5161- Fire-fighters; 7111- Miners and quarry workers

* Number of jobs classified with 'high exposure level' for each agent. Jobs classified at medium exposure levels were not indicated in the Table.

Table E6 – Percentage of jobs classified exposed or with an expert re-evaluation - 4-digit ISCO-88 jobs (n=390)

Agents	Exposure level, %*		Expert re-evaluation, %*
	Medium or High	High only	
Animals	3.6	1.3	3.1
Fish/shellfish	2.3	1.0	1.8
Flour	0.8	0.5	1.0
Foods	1.3	0.3	1.8
Plants-related dusts	3.8	0.8	4.4
House dust mites	0.8	0.3	1.3
Storage mites	3.3	0.0	0.5
Plant mites	3.1	0.5	3.6
Enzymes	1.3	0.0	1.8
Latex	4.4	1.3	4.9
Textile	3.6	0.8	3.6
Moulds	6.4	0.8	2.6
Endotoxin	5.6	1.8	3.8
Drugs	1.5	0.5	2.3
High level chemicals disinfectants	8.5	0.8	4.6
Aliphatic Amines	2.3	0.5	4.1
Isocyanates	1.5	0.3	2.3
Acrylates	2.3	0.0	3.8
Epoxy resins	2.1	1.0	2.1
Persulphates/Henna	0.3	0.3	0.0
Wood	3.8	1.0	1.8
Metal	9.7	1.5	8.5
Metal Working Fluids	2.1	1.0	1.5
Herbicides	2.6	1.3	1.5
Insecticides	3.6	1.5	2.1
Fungicides	3.6	1.5	1.0
Indoor cleaning	4.4	0.8	1.8
Bleach	2.6	0.5	1.8
Organic solvents	19.0	2.8	5.1
Exhaust fumes	11.5	2.8	5.9

* percentage of jobs classified exposed at high or medium level and at high level out of 390 4-digit ISCO-88 jobs.

REFERENCES

1. Kennedy SM, Le Moual N, Choudat D, Kauffmann F. Development of an asthma specific job exposure matrix and its application in the epidemiological study of genetics and environment in asthma (EGEA). *Occup Environ Med.* 2000;57:635-641, available from: <http://asthmajem.vjf.inserm.fr/>. Date last accessed: 30 April, 2017.
2. Le Moual N, Carsin AE, Siroux V, et al. Occupational exposures and uncontrolled adult-onset asthma in the ECRHS II. *Eur Respir J.* 2014;43(2):374-386.
3. Rava M, Ahmed I, Kogevinas M, et al. Genes Interacting with Occupational Exposures to Low Molecular Weight Agents and Irritants on Adult-Onset Asthma in Three European Studies. *Environ. Health Perspect.* 2017;125(2):207-214.
4. Zock JP, Cavalle N, Kromhout H, et al. Evaluation of specific occupational asthma risks in a community-based study with special reference to single and multiple exposures. *J. Expo. Anal. Environ. Epidemiol.* 2004;14(5):397-403.
5. Kogevinas M, Zock JP, Jarvis D, et al. Exposure to substances in the workplace and new-onset asthma: an international prospective population-based study (ECRHS-II). *Lancet.* 2007;370(9584):336-341.
6. Radon K, Gerhardinger U, Schulze A, et al. Occupation and adult onset of rhinitis in the general population. *Occup. Environ. Med.* 2008;65(1):38-43.
7. Le Moual N, Siroux V, Pin I, Kauffmann F, Kennedy SM, on behalf of the Epidemiological Study on the Genetics and Environment of Asthma. Asthma severity and exposure to occupational asthrogens. *Am J Respir Crit Care Med.* 2005;172(4):440-445.
8. Dumas O, Donnay C, Heederik DJ, et al. Occupational exposure to cleaning products and asthma in hospital workers. *Occup. Environ. Med.* 2012;69(12):883-889.
9. Dumas O, Smit LA, Pin I, et al. Do young adults with childhood asthma avoid occupational exposures at first hire? *Eur. Respir. J.* 2011;37(5):1043-1049.
10. Dumas O, Le Moual N, Siroux V, et al. Work related asthma. A causal analysis controlling the healthy worker effect. *Occup. Environ. Med.* 2013;70:603-610.
11. Dumas O, Siroux V, Luu F, et al. Cleaning and asthma characteristics in women. *Am. J. Ind. Med.* 2014;57(3):303-311.
12. Jeebhay MF, Ngajilo D, le Moual N. Risk factors for nonwork-related adult-onset asthma and occupational asthma: a comparative review. *Curr. Opin. Allergy Clin. Immunol.* 2014;14(2):84-94.
13. Smit LA, Strachan DP, Vermeulen R, et al. Human leukocyte antigen class II variants and adult-onset asthma: does occupational allergen exposure play a role? *Eur. Respir. J.* 2014;44(5):1234-1242.
14. Dumas O, Matran R, Zerimech F, et al. Occupational exposures and fluorescent oxidation products in 723 adults of the EGEA study. *Eur. Respir. J.* 2015;46(1):258-261.
15. Le Moual N, Kennedy SM, Kauffmann F. Occupational exposures and asthma in 14,000 adults from the general population. *Am J Epidemiol.* 2004;160(11):1108-1116.
16. Butland BK, Ghosh R, Strachan DP, Cullinan P, Jarvis D. Job choice and the influence of prior asthma and hay fever. *Occup. Environ. Med.* 2011;68(7):494-501.
17. Ghosh RE, Cullinan P, Fishwick D, et al. Asthma and occupation in the 1958 birth cohort. *Thorax.* 2013;68(4):365-371.
18. Lillienberg L, Dahlman-Hoglund A, Schioler L, Toren K, Andersson E. Exposures and asthma outcomes using two different job exposure matrices in a general population study in northern Europe. *Ann. Occup. Hyg.* 2014;58(4):469-481.
19. Dumas O, Laurent E, Bousquet J, et al. Occupational irritants and asthma: an Estonian cross-sectional study of 34,000 adults. *Eur Respir J.* 2014;44:647-656.
20. Radon K, Huemmer S, Dressel H, et al. Do respiratory symptoms predict job choices in teenagers? *Eur Respir J.* 2006;27(4):774-778.
21. Riu E, Dressel H, Windstetter D, et al. First months of employment and new onset of rhinitis in adolescents. *Eur Respir J.* 2007;30(3):549-555.

22. Peters AS, Kellberger J, Vogelberg C, et al. Prediction of the incidence, recurrence, and persistence of atopic dermatitis in adolescence: a prospective cohort study. *J. Allergy Clin. Immunol.* 2010;126(3):590-595 e591-593.
23. Heinrich S, Peters A, Kellberger J, et al. Study on occupational allergy risks (SOLAR II) in Germany: design and methods. *BMC Public Health.* 2011;11:298.
24. Kellberger J, Peters-Weist AS, Heinrich S, et al. Predictors of work-related sensitisation, allergic rhinitis and asthma in early work life. *Eur. Respir. J.* 2014;44(3):657-665.
25. Kogevinas M, Zock JP, Alvaro T, et al. Occupational exposure to immunologically active agents and risk for lymphoma. *Cancer Epidemiol Biomarkers Prev.* 2004;13(11 Pt 1):1814-1818.
26. Lope V, Perez-Gomez B, Aragonés N, et al. Occupation, exposure to chemicals, sensitizing agents, and risk of multiple myeloma in Sweden. *Cancer Epidemiol. Biomarkers Prev.* 2008;17(11):3123-3127.
27. Mirabelli MC, Zock JP, d'Errico A, et al. Occupational exposure to high molecular weight allergens and lymphoma risk among Italian adults. *Cancer Epidemiol Biomarkers Prev.* 2009;18(10):2650-2654.
28. Espinosa A, Zock JP, Benavente Y, et al. Occupational exposure to immunologically active agents and risk for lymphoma: the European Epilymph case-control study. *Cancer Epidemiol.* 2013;37(4):378-384.
29. Wang TN, Lin MC, Wu CC, et al. Risks of exposure to occupational asthmagens in atopic and nonatopic asthma: a case-control study in Taiwan. *Am. J. Respir. Crit. Care Med.* 2010;182(11):1369-1376.
30. Suarathana E, Heederik D, Ghezzi H, Malo JL, Kennedy SM, Gautrin D. Risks for the development of outcomes related to occupational allergies: an application of the asthma-specific job exposure matrix compared with self-reports and investigator scores on job-training-related exposure. *Occup Environ Med.* 2009;66(4):256-263.
31. Saab L, Gautrin D, Lavoue J, Suarathana E. Postapprenticeship isocyanate exposure and risk of work-related respiratory symptoms using an asthma-specific job exposure matrix, self-reported and expert-rated exposure estimates. *J. Occup. Environ. Med.* 2014;56(2):125-127.
32. Sadeghniaat-Haghighi K, Aminian O, Najafi A, et al. Work-related exacerbation of asthma among adults treated by pulmonary specialists. *Arch. Environ. Occup. Health.* 2016;71(1):35-42:0.
33. Hoy RF, Burgess JA, Benke G, et al. Occupational exposures and the development of new-onset asthma: a population-based cohort study from the ages of 13 to 44 years. *J. Occup. Environ. Med.* 2013;55(3):235-239.
34. Simpson JL, Guest M, Boggess MM, Gibson PG. Occupational exposures, smoking and airway inflammation in refractory asthma. *BMC Pulm. Med.* 2014;14:207.
35. Christensen BH, Thulstrup AM, Hougaard KS, et al. Maternal occupational exposure to asthmagens during pregnancy and risk of asthma in 7-year-old children: a cohort study. *BMJ Open.* 2013;11;3(4).
36. Christensen BH, Thulstrup AM, Hougaard KS, Skadhauge LR, Hansen KS, Schlunssen V. Occupational exposure during pregnancy and the risk of hay fever in 7-year-old children. *Clin Respir J.* 2013;7(2):183-188.
37. McHugh MK, Symanski E, Pompeii LA, Delclos GL. The feasibility of adapting a population-based asthma-specific job exposure matrix (JEM) to NHANES. *Am. J. Ind. Med.* 2010;53(12):1220-1224.
38. Cherry N, Beach J, Burstyn I, Fan X, Guo N, Kapur N. Data linkage to estimate the extent and distribution of occupational disease: new onset adult asthma in Alberta, Canada. *Am. J. Ind. Med.* 2009;52(11):831-840.
39. Liu J, Gustafson P, Cherry N, Burstyn I. Bayesian analysis of a matched case-control study with expert prior information on both the misclassification of exposure and the exposure-disease association. *Stat. Med.* 2009;28(27):3411-3423.

40. Beach J, Burstyn I, Cherry N. Estimating the extent and distribution of new-onset adult asthma in British Columbia using frequentist and Bayesian approaches. *Ann. Occup. Hyg.* 2012;56(6):719-727.
41. Singer AB, Burstyn I, Thygesen M, Mortensen PB, Fallin MD, Schendel DE. Parental exposures to occupational asthmagens and risk of autism spectrum disorder in a Danish population-based case-control study. *Environ. Health.* 2017;16(1):31.
42. Singer AB, Windham GC, Croen LA, et al. Maternal Exposure to Occupational Asthmagens During Pregnancy and Autism Spectrum Disorder in the Study to Explore Early Development. *J. Autism Dev. Disord.* 2016;46(11):3458-3468.
43. Thilising T, Rasmussen J, Lange B, Kjeldsen AD, Al-Kalemji A, Baelum J. Chronic rhinosinusitis and occupational risk factors among 20- to 75-year-old Danes-A GA(2) LEN-based study. *Am. J. Ind. Med.* 2012;55(11):1037-1043.
44. Burstyn I, Slutsky A, Lee DG, Singer AB, An Y, Michael YL. Beyond crosswalks: reliability of exposure assessment following automated coding of free-text job descriptions for occupational epidemiology. *Ann. Occup. Hyg.* 2014;58(4):482-492.
45. Lindstrom I, Suojalehto H, Pallasaho P, et al. Middle-aged men with asthma since youth: the impact of work on asthma. *J. Occup. Environ. Med.* 2013;55(8):917-923.
46. Larsen AD, Schlunssen V, Christensen BH, et al. Exposure to psychosocial job strain during pregnancy and odds of asthma and atopic dermatitis among 7-year old children - a prospective cohort study. *Scand. J. Work. Environ. Health.* 2014;40(6):639-648.
47. Lillienberg L, Andersson E, Janson C, et al. Occupational exposure and new-onset asthma in a population-based study in Northern Europe (RHINE). *Ann. Occup. Hyg.* 2013;57(4):482-492.
48. Tagiyeva N, Devereux G, Semple S, et al. Parental occupation is a risk factor for childhood wheeze and asthma. *Eur. Respir. J.* 2010;35(5):987-993.
49. Tagiyeva N, Teo E, Fielding S, Devereux G, Semple S, Douglas G. Occupational exposure to asthmagens and adult onset wheeze and lung function in people who did not have childhood wheeze: A 50-year cohort study. *Environ Int.* 2016;94:60-68.
50. Crewe J, Carey R, Glass D, et al. A comprehensive list of asthmagens to inform health interventions in the Australian workplace. *Aust. N. Z. J. Public Health.* 2016;40(2):170-173.
51. Fritschi L, Crewe J, Darcey E, et al. The estimated prevalence of exposure to asthmagens in the Australian workforce, 2014. *BMC Pulm. Med.* 2016;16:48.
52. Tarlo SM, Lemiere C. Occupational asthma. *N. Engl. J. Med.* 2014;370(7):640-649.
53. Schlunssen V, Sigsgaard T, Raulf-Heimsoth M, Kespohl S. Workplace exposure to wood dust and the prevalence of wood-specific sensitization. *Allergologie, Jahrgang.* 2012;35:402-412.
54. Quirce S, Bernstein JA. Old and new causes of occupational asthma. *Immunol. Allergy Clin. North Am.* 2011;31(4):677-698, v.