

Bimodal EEG-fMRI Neurofeedback for stroke rehabilitation

Giulia Lioi, Mathis Fleury, Simon Butet, Anatole Lécuyer, Christian Barillot,

Isabelle Bonan

▶ To cite this version:

Giulia Lioi, Mathis Fleury, Simon Butet, Anatole Lécuyer, Christian Barillot, et al.. Bimodal EEG-fMRI Neurofeedback for stroke rehabilitation. ISPRM 2018 -International Society of Physical and Rehabilitation Medicine, Jul 2018, Paris, France. inserm-01932954

HAL Id: inserm-01932954 https://inserm.hal.science/inserm-01932954

Submitted on 23 Nov 2018

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.







Bimodal EEG-fMRI Neurofeedback for Stroke Rehabilitation

Giulia Lioi*1, Mathis Fleury¹, Simon Butet², Anatole Lécuyer¹, Christian Barillot¹ and Isabelle Bonan² ¹ Teams Visages and Hybrid, Univ Rennes, Inria, CNRS, IRISA ² Service MPR, CHU Pontchaillou, Rennes

BACKGROUND

Neurofeedback (NF) has potential to be applied for stroke rehabilitation [1],[2] however the effectiveness of NF for stroke has not been thoroughly assessed yet.

Bimodal EEG-fMRI NF [3],[4] is a promising technique to achieve a more efficient and specific self-regulation, which may be crucial for clinical application.

AIMS

Within the project **HEMISFER** (Hybrid Eeg-MrI and

METHODS



Experimental Platform

fMRI unit





- Simultaneous neuro-FEedback for brain Rehabilitation), the aims of this preliminary study are to:
- Test the feasibility of applying bimodal EEG-MRI NF for stroke rehabilitation in two chronic patients affected by left hemiplegia (subcortical lesion).
- Identify problematics and guidelines in view of a clinical study on stroke patients.

Figure 1. Bimodal EEG-fMRI NF platform [5] (Neurinfo, CHU Pontchaillou, Rennes). The platform integrates and synchronizes EEG and fMRI subsystems and signal flow for the computation and visualization of the bimodal NF.

Neurofeedback Protocol

VR scanner room

NF Control Unit

Neurinfo



Figure 2. Schematic of the experimental protocol. Each session consisted of 8 blocks of 40 s (20 s rest, 20s task). MI=Motor Imagery (without NF display). MI_PRE=preliminary session used for calibration (ROI, EEG filter). MI_POST=transfer session.

PRELIMINARY RESULTS





Figure 3a. Lesion and corticospinal tract (CST) of patient 1 (Right ischemic stroke). The CST was estimated from tractography of diffusion weighted images [6].

Figure 3b. Lesion and CST of patient 2 (Right hemorrhagic stroke)

lpsilesional Contralesional









Figure 4. EEG and fMRI NF scores during a NF session. Example from one patient (1). The left column shows the filter and the ROI selected for NF computation during calibration.

Figure 6. fMRI signal regulation as a function of the selected ROI. The bar plots represent BOLD activity in the selected ROI with respect to background (mean+std across blocks) during rest and NF. Relative statistics are showed (Wilcoxon tests, * p<0.05, ** p<0.01)

CURRENT AND FUTURE WORKS

- Improve performances and simplify the workflow of the bimodal NF platform.
- Clinical study on Stroke patients to test the efficacy of multisession bimodal NF for rehabilitation.

REFERENCES

[1] Wang, T., Mantini, D. & Gillebert, C. R. The potential of real-time fMRI neurofeedback for stroke rehabilitation. Cortex (2017). doi:10.1016/j.cortex.2017.09.006
[2] Pichiorri, F. et al. Brain-computer interface boosts motor imagery practice during stroke recovery. Ann. Neurol. 77, 851–865 (2015).
[3] Zotev, V., Phillips, R., Yuan, H., Misaki, M. & Bodurka, J. Self-regulation of human brain activity using simultaneous real-time fMRI and EEG neurofeedback. Neuroimage 85, 985–995 (2014).
[4] Perronnet, L. et al. Unimodal Versus Bimodal EEG-fMRI Neurofeedback of a Motor Imagery Task To cite this version : Unimodal Versus Bimodal EEG-fMRI Neurofeedback of a Motor Imagery Task. Front. Hum. Neurosci. 11, (2017).
[5] Mano, M. et al. How to Build a Hybrid Neurofeedback Platform Combining EEG and fMRI. Front. Neurosci. 11, (2017).
[6] Sea Lee J et al. Fiber tracking by diffusion tensor imaging in corticospinal tract stroke: Topographical correlation with clinical symptoms. Neuroimage. 2005;26(3):771-776. doi:10.1016/j.neuroimage.2005.02.036.

