

## References

1. Moreau RA, Whitaker BD, Hicks KB. Phytosterols, phytostanols, and their conjugates in foods: structural diversity, quantitative analysis, and health-promoting uses. *Prog Lipid Res.* 2002;41:457-500.
2. Peterson DW. Effect of soybean sterols in the diet on plasma and liver cholesterol in chicks. *Proc Soc Exp Biol Med.* 1951;78:143-147.
3. Ellegard LH, Andersson SW, Normen AL, Andersson HA. Dietary plant sterols and cholesterol metabolism. *Nutr Rev.* 2007;65:39-45.
4. Ras RT, Geleijnse JM, Trautwein EA. LDL-cholesterol-lowering effect of plant sterols and stanols across different dose ranges: a meta-analysis of randomised controlled studies. *Br J Nutr.* 2014;112:214-219.
5. Phillips KM, Ruggio DM, Ashraf-Khorassani M. Phytosterol composition of nuts and seeds commonly consumed in the United States. *J Agric Food Chem.* 2005;53:9436-9445.
6. Ryan E, Galvin K, O'Connor TP, Maguire AR, O'Brien NM. Phytosterol, squalene, tocopherol content and fatty acid profile of selected seeds, grains, and legumes. *Plant Foods Hum Nutr.* 2007;62:85-91.
7. Mattila P, Konko K, Eurola M, et al. Contents of vitamins, mineral elements, sand some phenolic compounds in cultivated mushrooms. *J Agric Food Chem.* 2001;49:2343-2348.
8. Piironen V, Lindsay DG, Miettinen TA, Toivo J, Lampi AM. Plant sterols: biosynthesis, biological function and their importance to human nutrition. *J Sci Food Agr.* 2000;80:939-966.

9. Valsta LM, Lemstrom A, Ovaskainen ML, et al. Estimation of plant sterol and cholesterol intake in Finland: quality of new values and their effect on intake. *Brit J Nutr.* 2004;92:671-678.
10. Klingberg S, Andersson H, Mulligan A, et al. Food sources of plant sterols in the EPIC Norfolk population. *Eur J Clin Nutr.* 2008;62:695-703.
11. Ostlund RE, Jr., Lin X. Regulation of cholesterol absorption by phytosterols. *Curr Atheroscler Rep.* 2006;8:487-491.
12. Lecerf JM, de Lorgeril M. Dietary cholesterol: from physiology to cardiovascular risk. *Br J Nutr.* 2011;106:6-14.
13. Miettinen TA, Tilvis RS, Kesaniemi YA. Serum cholestanol and plant sterol levels in relation to cholesterol metabolism in middle-aged men. *Metabolism.* 1989;38:136-140.
14. Matthan NR, Lichtenstein AH. Approaches to measuring cholesterol absorption in humans. *Atherosclerosis.* 2004;174:197-205.
15. Ikeda I, Tanabe Y, Sugano M. Effects of sitosterol and sitostanol on micellar solubility of cholesterol. *J Nutr Sci Vitaminol.* 1989;35:361-369.
16. Nissinen M, Gylling H, Vuoristo M, Miettinen TA. Micellar distribution of cholesterol and phytosterols after duodenal plant stanol ester infusion. *Am J Physiol Gastrointest Liver Physiol.* 2002;282:G1009-1015.
17. De Smet E, Mensink RP, Plat J. Effects of plant sterols and stanols on intestinal cholesterol metabolism: suggested mechanisms from past to present. *Mol Nutr Food Res.* 2012;56:1058-1072.
18. Field FJ, Mathur SN. beta-sitosterol: esterification by intestinal acylcoenzyme A: cholesterol acyltransferase (ACAT) and its effect on cholesterol esterification. *J Lipid Res.* 1983;24:409-417.

19. Plat J, Mensink RP. Increased intestinal ABCA1 expression contributes to the decrease in cholesterol absorption after plant stanol consumption. *FASEB J.* 2002;16:1248-1253.
20. Plat J, Nichols JA, Mensink RP. Plant sterols and stanols: effects on mixed micellar composition and LXR (target gene) activation. *J Lipid Res.* 2005;46:2468-2476.
21. Xu Z, Le K, Moghadasian MH. Long-term phytosterol treatment alters gene expression in the liver of apo E-deficient mice. *J Nutr Biochem.* 2008;19:545-554.
22. Lee RG, Willingham MC, Davis MA, Skinner KA, Rudel LL. Differential expression of ACAT1 and ACAT2 among cells within liver, intestine, kidney, and adrenal of nonhuman primates. *J Lipid Res.* 2000;41:1991-2001.
23. Temel RE, Gebre AK, Parks JS, Rudel LL. Compared with Acyl-CoA:cholesterol O-acyltransferase (ACAT) 1 and lecithin:cholesterol acyltransferase, ACAT2 displays the greatest capacity to differentiate cholesterol from sitosterol. *J Biol Chem.* 2003;278:47594-47601.
24. Field FJ, Born E, Mathur SN. LXR/RXR ligand activation enhances basolateral efflux of beta-sitosterol in CaCo-2 cells. *J Lipid Res.* 2004;45:905-913.
25. Mattson FH, Grundy SM, Crouse JR. Optimizing the effect of plant sterols on cholesterol absorption in man. *Am J Clin Nutr.* 1982;35:697-700.
26. Heinemann T, Kullak-Ublick GA, Pietruck B, von Bergmann K. Mechanisms of action of plant sterols on inhibition of cholesterol absorption. Comparison of sitosterol and sitostanol. *Eur J Clin Pharmacol.* 1991;40 Suppl 1:S59-63.
27. Jones PJ, Raeini-Sarjaz M, Ntanios FY, Vanstone CA, Feng JY, Parsons WE. Modulation of plasma lipid levels and cholesterol kinetics by phytosterol versus phytostanol esters. *J Lipid Res.* 2000;41:697-705.

28. O'Neill FH, Sanders TA, Thompson GR. Comparison of efficacy of plant stanol ester and sterol ester: short-term and longer-term studies. *Am J Cardiol.* 2005;96:29D-36D.
29. Ellegard L, Andersson H, Bosaeus I. Rapeseed oil, olive oil, plant sterols, and cholesterol metabolism: an ileostomy study. *Eur J Clin Nutr.* 2005;59:1374-1378.
30. Miettinen TA, Vuoristo M, Nissinen M, Jarvinen HJ, Gylling H. Serum, biliary, and fecal cholesterol and plant sterols in colectomized patients before and during consumption of stanol ester margarine. *Am J Clin Nutr.* 2000;71:1095-1102.
31. Ostlund RE, Jr., McGill JB, Zeng CM, et al. Gastrointestinal absorption and plasma kinetics of soy Delta(5)-phytosterols and phytostanols in humans. *Am J Physiol Endocrinol Metab.* 2002;282:E911-916.
32. Chan YM, Varady KA, Lin Y, et al. Plasma concentrations of plant sterols: physiology and relationship with coronary heart disease. *Nutr Rev.* 2006;64:385-402.
33. Tammi A, Ronnemaa T, Valsta L, et al. Dietary plant sterols alter the serum plant sterol concentration but not the cholesterol precursor sterol concentrations in young children (the STRIP Study). Special Turku Coronary Risk Factor Intervention Project. *J Nutr.* 2001;131:1942-1945.
34. Srivastava SA, Burgess JC, Gyi KM, Hodson ME, Bilton D, Baker EH. Relationship between Hba1c and Lung Disease in Patients with Cystic Fibrosis Not Known to Have Diabetes. *Thorax.* 2009;64:A112-A112.
35. Olsen BN, Schlesinger PH, Baker NA. Perturbations of membrane structure by cholesterol and cholesterol derivatives are determined by sterol orientation. *J Am Chem Soc.* 2009;131:4854-4865.
36. Berge KE, Tian H, Graf GA, et al. Accumulation of dietary cholesterol in sitosterolemia caused by mutations in adjacent ABC transporters. *Science.* 2000;290:1771-1775.

37. Lee MH, Lu K, Hazard S, et al. Identification of a gene, ABCG5, important in the regulation of dietary cholesterol absorption. *Nat Genet.* 2001;27:79-83.
38. Hubacek JA, Berge KE, Cohen JC, Hobbs HH. Mutations in ATP-cassette binding proteins G5 (ABCG5) and G8 (ABCG8) causing sitosterolemia. *Hum Mutat.* 2001;18:359-360.
39. Kesaniemi YA, Ehnholm C, Miettinen TA. Intestinal cholesterol absorption efficiency in man is related to apoprotein E phenotype. *J Clin Invest.* 1987;80:578-581.
40. Miettinen TA, Gylling H, Nissinen MJ. The role of serum non-cholesterol sterols as surrogate markers of absolute cholesterol synthesis and absorption. *Nutr Metab Cardiovasc Dis.* 2011;21:765-769.
41. Uusitupa MI, Miettinen TA, Happonen P, et al. Lathosterol and other noncholesterol sterols during treatment of hypercholesterolemia with lovastatin alone and with cholestyramine or guar gum. *Arterioscler Thromb.* 1992;12:807-813.
42. Vanhanen H, Miettinen TA. Pravastatin and lovastatin similarly reduce serum cholesterol and its precursor levels in familial hypercholesterolaemia. *Eur J Clin Pharmacol.* 1992;42:127-130.
43. Lupattelli G, De Vuono S, Mannarino E. Patterns of cholesterol metabolism: pathophysiological and therapeutic implications for dyslipidemias and the metabolic syndrome. *Nutr Metab Cardiovasc Dis.* 2011;21:620-627.
44. Lupattelli G, Pirro M, Siepi D, et al. Non-cholesterol sterols in different forms of primary hyperlipemias. *Nutr Metab Cardiovasc Dis.* 2012;22:231-236.
45. Cofan M, Escurriol V, Garcia-Otin AL, et al. Association of plasma markers of cholesterol homeostasis with metabolic syndrome components. A cross-sectional study. *Nutr Metab Cardiovasc Dis.* 2011;21:651-657.

46. Rideout TC, Harding SV, Mackay D, Abumweis SS, Jones PJ. High basal fractional cholesterol synthesis is associated with nonresponse of plasma LDL cholesterol to plant sterol therapy. *Am J Clin Nutr.* 2010;92:41-46.
47. Pelletier X, Belbraouet S, Mirabel D, et al. A diet moderately enriched in phytosterols lowers plasma cholesterol concentrations in normocholesterolemic humans. *Ann Nutr Metab.* 1995;39:291-295.
48. Sanclemente T, Marques-Lopes I, Fajo-Pascual M, et al. Naturally-occurring phytosterols in the usual diet influence cholesterol metabolism in healthy subjects. *Nutr Metab Cardiovasc Dis.* 2012;22:849-855.
49. Ostlund RE, Jr., Racette SB, Okeke A, Stenson WF. Phytosterols that are naturally present in commercial corn oil significantly reduce cholesterol absorption in humans. *Am J Clin Nutr.* 2002;75:1000-1004.
50. Howell TJ, MacDougall DE, Jones PJ. Phytosterols partially explain differences in cholesterol metabolism caused by corn or olive oil feeding. *J Lipid Res.* 1998;39:892-900.
51. Sierksma A, Weststrate JA, Meijer GW. Spreads enriched with plant sterols, either esterified 4,4-dimethylsterols or free 4-desmethylsterols, and plasma total- and LDL-cholesterol concentrations. *Br J Nutr.* 1999;82:273-282.
52. Jakulj L, Trip MD, Sudhop T, Von Bergmann K, Kastelein JJP, Vissers MN. Inhibition of cholesterol absorption by the combination of dietary plant sterols and ezetimibe: Effects on plasma lipid levels. *J Lipid Res.* 2005;46:2692-2698.
53. Thomsen AB, Hansen HB, Christiansen C, Green H, Berger A. Effect of free plant sterols in low-fat milk on serum lipid profile in hypercholesterolemic subjects. *Eur J Clin Nutr.* 2004;58:860-870.

54. Zhao HL, Houweling AH, Vanstone CA, et al. Genetic variation in ABC G5/G8 and NPC1L1 impact cholesterol response to plant sterols in hypercholesterolemic men. *Lipids*. 2008;43:1155-1164.
55. Naumann E, Plat J, Kester AD, Mensink RP. The baseline serum lipoprotein profile is related to plant stanol induced changes in serum lipoprotein cholesterol and triacylglycerol concentrations. *J Am Coll Nutr*. 2008;27:117-126.
56. Fuentes F, Lopez-Miranda J, Garcia A, et al. Basal plasma concentrations of plant sterols can predict LDL-C response to sitosterol in patients with familial hypercholesterolemia. *Eur J Clin Nutr*. 2008;62:495-501.
57. Mackay DS, Gebauer SK, Eck PK, Baer DJ, Jones PJ. Lathosterol-to-cholesterol ratio in serum predicts cholesterol-lowering response to plant sterol consumption in a dual-center, randomized, single-blind placebo-controlled trial. *Am J Clin Nutr*. 2015;101:432-439.
58. Zhao HL, Houweling AH, Vanstone CA, et al. Action of plant sterol intervention on sterol kinetics in hypercholesterolemic men with high versus low basal circulatory plant sterol concentrations. *J Am Coll Nutr*. 2011;30:155-165.
59. Gylling H, Hallikainen M, Pihlajamaki J, et al. Insulin sensitivity regulates cholesterol metabolism to a greater extent than obesity: lessons from the METSIM Study. *J Lipid Res*. 2010;51:2422-2427.
60. Hernandez-Mijares A, Banuls C, Jover A, et al. Low intestinal cholesterol absorption is associated with a reduced efficacy of phytosterol esters as hypolipemic agents in patients with metabolic syndrome. *Clin Nutr*. 2011;30:604-609.
61. Sialvera TE, Pounis GD, Koutelidakis AE, et al. Phytosterols supplementation decreases plasma small and dense LDL levels in metabolic syndrome patients on a westernized type diet. *Nutr Metab Cardiovasc Dis*. 2012;22:843-848.

62. Plat J, Mackay D, Baumgartner S, Clifton PM, Gylling H, Jones PJ. Progress and prospective of plant sterol and plant stanol research: report of the Maastricht meeting. *Atherosclerosis*. 2012;225:521-533.
63. Baker WL, Baker EL, Coleman CI. The effect of plant sterols or stanols on lipid parameters in patients with type 2 diabetes: a meta-analysis. *Diabetes Res Clin Pract*. 2009;84:e33-37.
64. Hallikainen M, Lyyra-Laitinen T, Laitinen T, Moilanen L, Miettinen TA, Gylling H. Effects of plant stanol esters on serum cholesterol concentrations, relative markers of cholesterol metabolism and endothelial function in type 1 diabetes. *Atherosclerosis*. 2008;199:432-439.
65. Miettinen TA, Gylling H, Tuominen J, Simonen P, Koivisto V. Low synthesis and high absorption of cholesterol characterize type 1 diabetes. *Diabetes Care*. 2004;27:53-58.
66. Stalenhoef AF, Hectors M, Demacker PN. Effect of plant sterol-enriched margarine on plasma lipids and sterols in subjects heterozygous for phytosterolaemia. *J Intern Med*. 2001;249:163-166.
67. Kwiterovich PO, Jr., Chen SC, Virgil DG, Schweitzer A, Arnold DR, Kratz LE. Response of obligate heterozygotes for phytosterolemia to a low-fat diet and to a plant sterol ester dietary challenge. *J Lipid Res*. 2003;44:1143-1155.
68. Kratz M, Kannenberg F, Gramenz E, et al. Similar serum plant sterol responses of human subjects heterozygous for a mutation causing sitosterolemia and controls to diets enriched in plant sterols or stanols. *Eur J Clin Nutr*. 2007;61:896-905.
69. Myrie SB, Mymin D, Triggs-Raine B, Jones PJ. Serum lipids, plant sterols, and cholesterol kinetic responses to plant sterol supplementation in phytosterolemia heterozygotes and control individuals. *Am J Clin Nutr*. 2012;95:837-844.

70. Moruisi KG, Oosthuizen W, Opperman AM. Phytosterols/stanols lower cholesterol concentrations in familial hypercholesterolemic subjects: a systematic review with meta-analysis. *J Am Coll Nutr.* 2006;25:41-48.
71. Amundsen AL, Ose L, Nenseter MS, Ntanios FY. Plant sterol ester-enriched spread lowers plasma total and LDL cholesterol in children with familial hypercholesterolemia. *Am J Clin Nutr.* 2002;76:338-344.
72. de Jongh S, Vissers MN, Rol P, Bakker HD, Kastelein JJ, Stroes ES. Plant sterols lower LDL cholesterol without improving endothelial function in prepubertal children with familial hypercholesterolemia. *J Inherit Metab Dis.* 2003;26:343-351.
73. Gylling H, Siimes MA, Miettinen TA. Sitostanol ester margarine in dietary treatment of children with familial hypercholesterolemia. *J Lipid Res.* 1995;36:1807-1812.
74. Guardamagna O, Abello F, Baracco V, et al. Primary hyperlipidemias in children: effect of plant sterol supplementation on plasma lipids and markers of cholesterol synthesis and absorption. *Acta Diabetol.* 2011;48:127-133.
75. Vanhanen HT, Blomqvist S, Ehnholm C, et al. Serum cholesterol, cholesterol precursors, and plant sterols in hypercholesterolemic subjects with different apoE phenotypes during dietary sitostanol ester treatment. *J Lipid Res.* 1993;34:1535-1544.
76. Miettinen TA, Vanhanen H. Dietary sitostanol related to absorption, synthesis and serum level of cholesterol in different apolipoprotein E phenotypes. *Atherosclerosis.* 1994;105:217-226.
77. Ishiwata K, Homma Y, Ishikawa T, Nakamura H, Handa S. Influence of apolipoprotein E phenotype on metabolism of lipids and apolipoproteins after plant stanol ester ingestion in Japanese subjects. *Nutrition.* 2002;18:561-565.
78. Tammi A, Ronnemaa T, Miettinen TA, et al. Effects of gender, apolipoprotein E phenotype and cholesterol-lowering by plant stanol esters in children: the STRIP

- study. Special Turku Coronary Risk Factor Intervention Project. *Acta Paediatr.* 2002;91:1155-1162.
79. Geelen A, Zock PL, de Vries JH, Katan MB. Apolipoprotein E polymorphism and serum lipid response to plant sterols in humans. *Eur J Clin Invest.* 2002;32:738-742.
80. Plat J, Mensink RP. Relationship of genetic variation in genes encoding apolipoprotein A-IV, scavenger receptor BI, HMG-CoA reductase, CETP and apolipoprotein E with cholesterol metabolism and the response to plant stanol ester consumption. *Eur J Clin Invest.* 2002;32:242-250.
81. Lottenberg AM, Nunes VS, Nakandakare ER, et al. The human cholesteryl ester transfer protein I405V polymorphism is associated with plasma cholesterol concentration and its reduction by dietary phytosterol esters. *J Nutr.* 2003;133:1800-1805.
82. Sanchez-Muniz FJ, Maki KC, Schaefer EJ, Ordovas JM. Serum lipid and antioxidant responses in hypercholesterolemic men and women receiving plant sterol esters vary by apolipoprotein E genotype. *J Nutr.* 2009;139:13-19.
83. Banuls C, Martinez-Triguero ML, Lopez-Ruiz A, et al. Serum lipid responses to phytosterol-enriched milk in a moderate hypercholesterolemic population is not affected by apolipoprotein E polymorphism or diameter of low-density lipoprotein particles. *Eur J Clin Nutr.* 2011;65:255-261.
84. MacKay DS, Eck PK, Gebauer SK, Baer DJ, Jones PJ. CYP7A1-rs3808607 and APOE isoform associate with LDL cholesterol lowering after plant sterol consumption in a randomized clinical trial. *Am J Clin Nutr.* 2015;102:951-957.
85. Von Bergmann K, Lutjohann D, Lindenthal B, Steinmetz A. Efficiency of intestinal cholesterol absorption in humans is not related to apoE phenotype. *J Lipid Res.* 2003;44:193-197.

86. Miwa K, Inazu A, Kobayashi J, et al. ATP-binding cassette transporter G8 M429V polymorphism as a novel genetic marker of higher cholesterol absorption in hypercholesterolaemic Japanese subjects. *Clin Sci (Lond)*. 2005;109:183-188.
87. Buch S, Schafmayer C, Volzke H, et al. A genome-wide association scan identifies the hepatic cholesterol transporter ABCG8 as a susceptibility factor for human gallstone disease. *Nat Genet*. 2007;39:995-999.
88. Jakulj L, Vissers MN, Tanck MW, et al. ABCG5/G8 polymorphisms and markers of cholesterol metabolism: systematic review and meta-analysis. *J Lipid Res*. 2010;51:3016-3023.
89. Plat J, Bragt MCE, Mensink RP. Common sequence variations in ABCG8 are related to plant sterol metabolism in healthy volunteers. *J Lipid Res*. 2005;46:68-75.
90. Gylling H, Hallikainen M, Raitakari OT, et al. Long-term consumption of plant stanol and sterol esters, vascular function and genetic regulation. *Br J Nutr*. 2009;101:1688-1695.
91. De Castro-Oros I, Pampin S, Cofan M, et al. Promoter variant -204A > C of the cholesterol 7alpha-hydroxylase gene: association with response to plant sterols in humans and increased transcriptional activity in transfected HepG2 cells. *Clin Nutr*. 2011;30:239-246.
92. Abdullah MM, Jones PJ, Eck PK. Nutrigenetics of cholesterol metabolism: observational and dietary intervention studies in the postgenomic era. *Nutr Rev*. 2015;73:523-543.
93. Qi Q, Chu AY, Kang JH, et al. Sugar-sweetened beverages and genetic risk of obesity. *N Engl J Med*. 2012;367:1387-1396.

