



HAL
open science

The psychotomimetic ketamine disrupts the transfer of late sensory information in the corticothalamic network

Yi Qin, Ali Mahdavi, Marine Bertschy, Paul M Anderson, Sofya Kulikova,
Didier Pinault

► **To cite this version:**

Yi Qin, Ali Mahdavi, Marine Bertschy, Paul M Anderson, Sofya Kulikova, et al.. The psychotomimetic ketamine disrupts the transfer of late sensory information in the corticothalamic network. 2022. inserm-03590649v1

HAL Id: inserm-03590649

<https://inserm.hal.science/inserm-03590649v1>

Preprint submitted on 28 Feb 2022 (v1), last revised 14 Oct 2022 (v2)

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

STATISTIC DATA

	Delta	Theta	Sigma	Beta	Gamma
EEG	F (5, 234) = 8.301 P<0.0001	F (5, 234) = 9.963 P<0.0001	F (5, 234) = 22.94 P<0.0001	F (5, 234) = 42.92 P<0.0001	F (5, 234) = 27.14 P<0.0001
Layer 6	F (5, 234) = 44.49 P<0.0001	F (5, 234) = 12.81 P<0.0001	F (5, 234) = 26.41 P<0.0001	F (5, 234) = 31.48 P<0.0001	F (5, 234) = 21.06 P<0.0001
VPm	F (5, 234) = 1.485 P=0.1953	F (5, 234) = 8.219 P<0.0001	F (5, 234) = 23.49 P<0.0001	F (5, 234) = 42.43 P<0.0001	F (5, 234) = 9.657 P<0.0001
PoM	F (5, 234) = 1.106 P=0.0867	F (5, 234) = 2.596 P=0.0175	F (5, 234) = 12.66 P<0.0001	F (5, 234) = 12.37 P<0.0001	F (5, 234) = 8.754 P<0.0001

Table 1 (see Fig. 2A): One-way repeated-measures ANOVA shows significant effects of stimuli in different frequencies under saline condition.

EEG

	Delta	Theta	Sigma	Beta	Gamma
200-700 ms	P<0.0001	P<0.0001	P<0.0001	P<0.0001	P<0.0001
700-1200 ms	P=0.0005	P=0.0001	P=0.0023	P=0.1935	P=0.9906
1200-1700 ms	P=0.1177	P=0.0001	P=0.1961	P=0.7959	P=0.9906
1700-2200 ms	P=0.9818	P=0.2999	P=0.4617	P=0.8546	P=0.9988
2200-2700 ms	P=0.9818	P=0.3278	P=0.5079	P=0.8546	P=0.9988

Layer 6

	Delta	Theta	Sigma	Beta	Gamma
200-700 ms	P<0.0001	P<0.0038	P<0.0001	P<0.0001	<0.0001
700-1200 ms	P=0.0059	P<0.0001	P=0.0046	P=0.9624	P=0.9583
1200-1700 ms	P=0.2774	P=0.0003	P=0.0580	P=0.9965	P=0.9583
1700-2200 ms	P=0.9549	P<0.3421	P=0.4754	P=0.9967	P=0.9583
2200-2700 ms	P=0.9549	P<0.5618	P=0.4754	P=0.9965	P=0.9583

VPm

	Delta	Theta	Sigma	Beta	Gamma
200-700 ms	P=0.7821	P<0.0001	P<0.0001	P<0.0001	P<0.0001
700-1200 ms	P=0.8703	P=0.0001	P=0.0140	P=0.8552	P=0.1538
1200-1700 ms	P=0.5827	P=0.0391	P=0.1492	P=0.8552	P=0.7689
1700-2200 ms	P=0.8703	P=0.5925	P=0.7579	P=0.9404	P=0.9904
2200-2700 ms	P=0.8703	P=0.7764	P=0.7579	P=0.9404	P=0.9293

PoM

	Delta	Theta	Sigma	Beta	Gamma
200-700 ms	P=0.2731	P=0.0091	P=<0.0001	P<0.0001	P<0.0001
700-1200 ms	P=0.3881	P=0.0424	P=0.3243	P=0.6621	P=0.7778
1200-1700 ms	P=0.3881	P=0.0899	P=0.3772	P=0.5365	P=0.2742
1700-2200 ms	P=0.4415	P=0.0899	P=0.4669	P=0.5365	P=0.7778
2200-2700 ms	P=0.1947	P=0.3154	P=0.4669	P=0.5566	P=0.7778

Table 2 (see Fig2A): Holm-Šidák’s multiple comparisons test shows various powers in different periods after stimuli.

	Delta	Theta	Sigma	Beta	Gamma
EEG	F (5, 234) = 7.175 P<0.0001	F (5, 234) = 17.63 P<0.0001	F (5, 234) = 60.99 P<0.0001	F (5, 234) = 24.78 P<0.0001	F (5, 234) = 3.866 P<0.0022
Layer 6	F (5, 234) = 11.41 P<0.0001	F (5, 234) = 14.21 P<0.0001	F (5, 234) = 48.59 P<0.0001	F (5, 234) = 8.772 P<0.0001	F (5, 234) = 12.14 P<0.0001
VPm	F (5, 234) = 1.473 P=0.1995	F (5, 234) = 15.07 P<0.0001	F (5, 234) = 25.60 P<0.0001	F (5, 234) = 11.84 P<0.0001	F (5, 234) =0.5845 P<0.7119
PoM	F (5, 234) = 13.79 P=0.2276	F (5, 234) = 6.697 P<0.0001	F (5, 234) = 16.22 P<0.0001	F (5, 234) = 7.792 P<0.0001	F (5, 234) =0.7948 P<0.5543

Table 3 (see Fig. 2B): One-way repeated-measures ANOVA shows significant effects of stimuli in different frequencies under the ketamine condition.

EEG

	Delta	Theta	Sigma	Beta	Gamma
200-700 ms	P<0.0031	P<0.0001	P<0.0001	P<0.0001	P=0.0727
700-1200 ms	P=0.0011	P=0.1957	P=0.9745	P=0.0892	P=0.8169
1200-1700 ms	P=0.9862	P=0.9970	P=0.9909	P=0.2047	P=0.2142
1700-2200 ms	P=0.9862	P=0.9970	P=0.9909	P=0.7108	P=0.0021
2200-2700 ms	P=0.9862	P=0.9970	P=0.9909	P=0.7793	P=0.0416

Layer 6

	Delta	Theta	Sigma	Beta	Gamma
200-700 ms	P<0.0001	P<0.0001	P<0.0001	P=0.0083	P=0.0612
700-1200 ms	P<0.0001	P<0.0071	P=0.9882	P=0.0311	P=0.1237
1200-1700 ms	P=0.9984	P=0.9938	P=0.9780	P=0.0811	P=0.3672
1700-2200 ms	P=0.9984	P<0.9938	P=0.9882	P=0.6557	P=0.0016
2200-2700 ms	P=0.9984	P<0.9938	P=0.9882	P=0.4294	P=0.0101

VPm

	Delta	Theta	Sigma	Beta	Gamma
200-700 ms	P=0.4336	P<0.0001	P<0.0001	P=0.0004	P=0.5811
700-1200 ms	P=0.9740	P=0.9962	P=0.8272	P=0.1091	P=0.5811
1200-1700 ms	P=0.7018	P=0.9845	P=0.8272	P=0.1091	P=0.5811

1700-2200 ms	P=0.9427	P=0.9973	P=0.8272	P=0.1486	P=0.5811
2200-2700 ms	P=0.9427	P=0.9973	P=0.8272	P=0.1091	P=0.5811

PoM

	Delta	Theta	Sigma	Beta	Gamma
200-700 ms	P<0.0001	P<0.0001	P=<0.0001	P=0.0007	P=0.7127
700-1200 ms	P=0.9575	P=0.9638	P=0.8902	P=0.6488	P=0.7127
1200-1700 ms	P=0.9575	P=0.7490	P=0.9046	P=0.4235	P=0.5446
1700-2200 ms	P=0.7864	P=0.9938	P=0.9046	P=0.6488	P=0.5446
2200-2700 ms	P=0.7864	P=0.9938	P=0.8902	P=0.6488	P=0.4017

Table 4 (see Fig. 2B): Holm-Šidák’s multiple comparisons test shows various powers in different periods after stimuli.

EEG	Layer 6	VPm	PoM
t(39)=8.359 P<0.0001	t(39)=8.343 P<0.0001	t(39)=9.852 P<0.0001	t(39)=10.99 P<0.0001

Table 5 (see S4): Paired t-test shows that gamma oscillations of ketamine differ from the saline condition.

	EEG	Layer 6	VPm	PoM
Condition	F(1, 78)=2.175 P=0.1443	F(1, 78)=5.652 P=0.0199	F(1, 78)=9.363 P=0.0030	F(1, 78)=14.51 P=0.0003
Time	F(4, 312)=23.07 P<0.0001	F(4,312)=13.07, P<0.0001	F(4,312)=5.863, P=0.0001	F(4, 312)=8.296 P<0.0001
condition*time	F(4, 312) = 21.85 P<0.0001	F(4, 312) = 27.11 P<0.0001	F(4, 312) = 6.036 P<0.0001	F(4, 312)=6.247 P<0.0001

Table 6 (see Fig. 3): Two-way repeated-measures ANOVA shows significant effects of ketamine administration, time, and time-drug interaction of ketamine in the induced gamma oscillation power.

	EEG	Layer6	VPm	PoM
200-700 ms	P<0.0001	P<0.0001	P<0.0001	P<0.0001
700-1200 ms	P=0.8645	P=0.8244	P=0.5084	P=0.6855
1200-1700 ms	P=0.3041	P=0.6764	P=0.1529	P=0.0268
1700-2200 ms	P=0.1177	P=0.0646	P=0.5084	P=0.1742
2200-2700 ms	P=0.3041	P=0.1995	P=0.5084	P=0.1742

Table 7 (see Fig. 3): Holm-Šidák’s multiple comparisons test shows ketamine substantially affects induced gamma oscillations during the post-stimulus 200-500 ms window.

Layer 6	VPm
t(39)=-2.5509 P<0.05	t(39)= -2.2930 P<0.05

Table 8 (see Fig. 4): Paired t-test shows that multi-scale entropy of VPm and layer 6 were changed by ketamine.

	Layer 6-VPm	Layer 6-PoM	VPm-PoM
Sum of positive, negative ranks	236.0, -584.0	520.0 -300.0	463.0 -357.0
Sum of signed ranks	-348.0 P=0.0185	220.0 P=0.1423	106.0 P=0.4845

Table 9 (see Fig. 5): Wilcoxon test shows that coherence between layer 6 and VPm were decreased significantly by ketamine.