



HAL
open science

Development and first results of the BEAT PCD international Primary Ciliary Dyskinesia gene variant database: CiliaVar

Rahma Mani, Mafalda Gomes, Adrián Rodríguez González, Claire Hogg, Deborah Morris-Rosendahl, Bernard Maitre, Mahmoud Fassad, Myrofora Goutaki, Jane Lucas, Amelia Shoemark, et al.

► To cite this version:

Rahma Mani, Mafalda Gomes, Adrián Rodríguez González, Claire Hogg, Deborah Morris-Rosendahl, et al.. Development and first results of the BEAT PCD international Primary Ciliary Dyskinesia gene variant database: CiliaVar. ERS International Congress 2021, in session “Prediction of exacerbations in patients with COPD”, Sep 2021, Online, United Kingdom. European Respiratory Society, pp.PA3458, 10.1183/13993003.congress-2021.PA3458 . inserm-04121677v2

HAL Id: inserm-04121677

<https://inserm.hal.science/inserm-04121677v2>

Submitted on 2 Aug 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Development and first results of the BEAT-PCD international Primary Ciliary Dyskinesia gene variant database: CiliaVar

Introduction

Primary Ciliary Dyskinesia (PCD) is a motile ciliopathy due to bi-allelic pathogenic mutations in one of more than **50 genes**. Most of the mutations are **private** (identified in a single family). New **variants of unknown significance** (VUS, i.e. of uncertain pathogenicity) are constantly being identified. As clinical genetic testing is increasingly used for PCD, there is a need to develop a **public access resource** to identify if variants have previously been associated with the disease.

Objectives and Methods






Our aim is to establish an **online open database** registering **mutations and specific combinations of mutations** causing PCD.

A panel of clinicians and molecular geneticists with expertise in PCD identified relevant items to be linked to each variant, among clinical, ciliary and genetic investigations supporting pathogenicity. An extensive literature search was conducted to identify published mutations. Database curators checked mutation nomenclature and classification following American College of Medical Genetics (ACMG) guidelines.

BEAT-PCD ERS Clinical Research Collaboration

Results

Data census and curation steps

	Literature search 651 papers
	Abstracts review 262 selected papers
	Patients 1551 from literature 201 from a diagnostic centre
	Mutations 1267
	Mutation nomenclature verification and classification following ACMG guidelines

CiliaVar

The most common recurrent mutations reported (ancestral European alleles) are *CCDC40* c.248del (n=41 patients) and *DNAH11* c.48+2dupT (n=49).


20% of the 1267 distinct mutations are classified as **VUS** and 93% of those VUS are missense mutations.

The online open database CiliaVar will facilitate access to PCD variant information to improve the diagnosis of PCD.

Proportion of private mutations



Genetic spectrum in 1551 independent PCD patients



Classification of 1267 distinct mutations reported in PCD patients

