

**Table S4: Results of the MVMR analysis excluding “outlier” SNPs.**

**A) Excluding outliers detected using MVMR-PRESSO**

Removed SNPs that were detected by MVMR-PRESSO as outlier - Females (N=10): rs10778174, rs13108218, rs568088484, rs72681869, rs12950511, rs13220350, rs35447916, rs885683, rs974801, rs4804181 / Males (N=13):

6:26054177\_TA\_Trs1129506, rs142798347, rs1800574, rs56196860, rs62062271, rs72827413, rs7923609, rs8066941, rs9288177, rs140584594, rs3768321, 16:28704506\_ATTT\_A

	FVC (mL)							FEV <sub>1</sub> /FVC (%)							FEV <sub>1</sub> (mL)								
	b	SE	LCI	UCI	p-value	Q test p-value	P-value intercept	Sargan P-value	b	SE	LCI	UCI	p-value	Q test p-value	P-value intercept	Sargan P-value	b	SE	LCI	UCI	p-value	Q test p-value	P-value intercept
<b>Testosterone (TT)</b>																							
<b>Males</b>																							
MR F-IVW	163.27	49.70	65.86	260.67	<b>1.02E-03</b>	2.05E-17			1.18	0.48	0.24	2.11	<b>0.014</b>	4.62E-15			173.25	42.46	90.03	256.47	<b>4.49E-05</b>	7.24E-13	
MR R-IVW	163.27	74.29	17.67	308.87	<b>2.80E-02</b>	2.05E-17			1.18	0.69	-0.19	2.54	0.091	4.62E-15			173.25	59.97	55.70	290.80	<b>3.87E-03</b>	7.24E-13	
MR median	164.86	77.83	12.32	317.40	<b>3.42E-02</b>				1.22	0.69	-0.14	2.57	0.079				221.80	67.16	90.16	353.45	<b>9.59E-04</b>		
MR robust	171.49	76.35	21.85	321.12	<b>2.47E-02</b>				1.14	0.49	0.19	2.09	<b>0.019</b>				181.72	63.66	56.94	306.49	<b>4.31E-03</b>		
MR-Egger	163.04	74.53	16.97	309.12	<b>2.87E-02</b>			1.37E-17	1.17	0.70	-0.20	2.53	0.094		0.585		172.66	60.14	54.78	290.53	<b>4.09E-03</b>		0.669
MR -2SLS	149.26	57.53	36.50	262.01	<b>9.47E-03</b>			3.42E-15	0.77	0.56	-0.33	1.86	0.170				144.34	49.22	47.87	240.81	<b>3.36E-03</b>		6.96E-10
<b>Females</b>																							
MR F-IVW	40.58	12.37	16.33	64.83	<b>0.001</b>	5.94E-24			0.11	0.15	-0.18	0.41	0.457	3.88E-11			33.44	10.38	13.09	53.80	<b>0.001</b>	2.17E-19	
MR R-IVW	40.58	19.77	1.83	79.33	<b>0.040</b>	5.94E-24			0.11	0.21	-0.29	0.52	0.590	3.88E-11			33.44	15.88	2.33	64.56	<b>0.035</b>	2.17E-19	
MR median	27.67	24.61	-20.56	75.90	0.261				0.34	0.23	-0.12	0.80	0.145				38.34	20.05	-0.97	77.64	0.056		
MR robust	38.90	30.25	-20.40	98.19	0.199				0.21	0.16	-0.10	0.52	0.187				32.92	23.19	-12.54	78.38	0.156		
MR-Egger	43.44	19.88	4.48	82.40	<b>0.029</b>			1.20E-23	0.12	0.21	-0.29	0.53	0.576		0.834		35.64	15.97	4.34	66.93	<b>0.026</b>		0.241
MR -2SLS	41.72	15.69	10.97	72.47	<b>0.008</b>			1.82E-10	-0.04	0.19	-0.40	0.32	0.824				30.29	13.04	4.74	55.84	<b>0.020</b>		2.28E-09
<b>SHBG</b>																							
<b>Males</b>																							
MR F-IVW	-68.17	27.04	-121.17	-15.16	<b>0.012</b>	2.05E-17			-0.97	0.26	-1.48	-0.46	<b>1.79E-04</b>	4.62E-15			-93.52	23.11	-138.81	-48.24	<b>5.18E-05</b>	7.24E-13	
MR R-IVW	-68.17	40.43	-147.40	11.06	0.092	2.05E-17			-0.97	0.38	-1.72	-0.23	<b>9.96E-03</b>	4.62E-15			-93.52	32.64	-157.49	-29.55	<b>4.16E-03</b>	7.24E-13	
MR median	-88.16	42.00	-170.48	-5.84	<b>0.036</b>				-1.09	0.39	-1.85	-0.33	<b>4.80E-03</b>				-121.71	36.10	-192.47	-50.95	<b>7.48E-04</b>		
MR robust	-75.60	40.13	-154.25	3.04	0.060				-1.01	0.29	-1.59	-0.43	<b>6.26E-04</b>				-99.20	32.46	-162.83	-35.57	<b>2.25E-03</b>		
MR-Egger	-65.94	43.98	-152.13	20.25	0.134			1.37E-17	-0.89	0.41	-1.69	-0.08	<b>3.08E-02</b>		0.585		-87.66	35.49	-157.21	-18.10	<b>1.35E-02</b>		0.669
MR -2SLS	-54.61	30.96	-115.30	6.08	0.078			3.42E-15	-0.77	0.30	-1.36	-0.18	<b>1.08E-02</b>				-74.31	26.54	-126.32	-22.29	<b>5.11E-03</b>		6.96E-10
<b>Females</b>																							
MR F-IVW	-6.50	7.39	-20.98	7.97	0.379	5.94E-24			-0.09	0.09	-0.27	0.08	0.300	3.88E-11			-6.30	6.20	-18.45	5.84	0.309	2.17E-19	
MR R-IVW	-6.50	11.80	-29.63	16.63	0.582	5.94E-24			-0.09	0.12	-0.33	0.15	0.452	3.88E-11			-6.30	9.48	-24.88	12.27	0.506	2.17E-19	
MR median	1.30	14.64	-27.40	29.99	0.929				-0.17	0.15	-0.46	0.12	0.259				-16.22	12.26	-40.25	7.80	0.186		
MR robust	-8.69	15.31	-38.71	21.32	0.570				-0.12	0.10	-0.33	0.08	0.247				-9.17	12.73	-34.13	15.79	0.472		
MR-Egger	-18.92	15.53	-49.35	11.51	0.223			1.20E-23	-0.12	0.16	-0.43	0.20	0.481		0.834		-15.83	12.47	-40.27	8.61	0.204		0.241
MR -2SLS	-5.77	9.31	-24.02	12.47	0.535			1.82E-10	-0.07	0.11	-0.29	0.15	0.545				-5.21	7.78	-20.46	10.04	0.503		2.28E-09

NSNPs included -> Males: Total =165, TT = 64, SHBG = 128; Females: Total =164, TT =52, SHBG = 113.

N in 2SLS = Males = 139,433; Females = 133,662.

SHBG = Sex Hormone Binding Globulin; TT = Total Testosterone.

MR = Mendelian Randomisation; F-IVW = Fixed effect Inverse variance weighted meta-analysis; R-IVW = Random effect Inverse variance weighted meta-analysis; 2SLS = Two-Stage least squares regression.

b = beta (regression estimate for a 1 unit increase in log TT or SHBG); SE = Standard Error of the mean, LCI/UCI = lower/upper confidence interval (95%)

The effect estimate for a 10% increase in TT or SHBG can be calculated by multiplying the beta (b) by ln(1.1)

**B) Excluding SNPs *a priori* considered potential sources of pleiotropy**

Removed 36 SNPs that were associated with smoking, weight-related traits, diabetes, insulin, leptin and adiponectin (rs1260326, rs6759145, rs13389219, rs2176040, rs645040, rs3936510, rs1635852, rs3740393, rs1042725, rs12824567, rs2925979, rs12454712, rs3729931, rs2307021, rs60775983, rs329124, rs506823, rs2090409, rs1935, rs8077638, rs1048317, rs4273712, rs8024515, rs6502629, rs7250869, rs174554, rs75616205, rs1800574, rs9986829, rs283811, rs738409, rs7529073, rs71304101, rs40270, rs974801, rs9987289)

	FVC (mL)							FEV <sub>1</sub> /FVC (%)							FEV <sub>1</sub> (mL)								
	b	SE	LCI	UCI	p-value	Q test p-value	P-value intercept	Sargan P-value	b	SE	LCI	UCI	p-value	Q test p-value	P-value intercept	Sargan P-value	b	SE	LCI	UCI	p-value	Q test p-value	P-value intercept
<b>Testosterone (TT)</b>																							
<b>Males</b>																							
MR F-IVW	-75.86	46.03	-166.07	14.36	0.099	1.02E-32			0.37	0.44	-0.50	1.23	0.409	2.12E-16			-37.23	39.33	-114.31	39.86	0.344	1.03E-29	
MR R-IVW	-75.86	80.32	-233.28	81.56	0.345	1.02E-32			0.37	0.66	-0.94	1.67	0.582	2.12E-16			-37.23	67.06	-168.67	94.21	0.579	1.03E-29	
MR median	89.83	92.57	-91.62	271.27	0.332				0.71	0.82	-0.89	2.32	0.384			162.42	76.87	11.75	313.08	<b>0.035</b>			
MR robust	79.75	200.45	-313.14	472.64	0.691				0.43	0.66	-0.86	1.73	0.513			123.74	165.78	-201.18	448.66	0.455			
MR-Egger	-78.53	81.40	-238.07	81.01	0.335		6.13E-33		0.35	0.67	-0.97	1.67	0.603		0.867	-39.49	67.96	-172.70	93.72	0.561	0.815		
MR - 2SLS	-90.89	53.42	-195.59	13.82	0.089			1.28E-24	0.10	0.52	-0.93	1.13	0.853			-59.51	45.78	-149.25	30.22	0.194	2.84E-19		
<b>Females</b>																							
MR F-IVW	46.45	12.72	21.51	71.38	<b>2.61E-04</b>	9.79E-32			0.14	0.15	-0.16	0.44	0.358	4.27E-15			38.71	10.68	17.78	59.63	<b>2.88E-04</b>	1.14E-25	
MR R-IVW	46.45	22.53	2.29	90.61	<b>0.039</b>	9.79E-32			0.14	0.23	-0.31	0.60	0.540	4.27E-15			38.71	17.97	3.49	73.92	<b>0.031</b>	1.14E-25	
MR median	37.51	26.47	-14.37	89.39	0.156				0.33	0.25	-0.15	0.81	0.176			47.96	21.12	6.56	89.36	<b>0.023</b>			
MR robust	46.83	32.51	-16.89	110.55	0.150				0.22	0.17	-0.11	0.55	0.192			39.95	26.28	-11.57	91.47	0.129			
MR-Egger	52.23	22.72	7.70	96.76	<b>0.022</b>		7.28E-31		0.16	0.24	-0.30	0.62	0.488		0.582	43.60	18.10	8.13	79.07	<b>0.016</b>	0.098		
MR - 2SLS	52.55	16.14	20.91	84.19	<b>1.13E-03</b>			1.09E-14	-0.03	0.19	-0.41	0.34	0.864			38.96	13.41	12.68	65.24	<b>3.67E-03</b>	7.90E-12		
<b>SHBG</b>																							
<b>Males</b>																							
MR F-IVW	59.27	25.96	8.38	110.16	<b>0.022</b>	1.02E-32			-0.53	0.25	-1.02	-0.04	<b>0.033</b>	2.12E-16			18.92	22.18	-24.57	62.40	0.394	1.03E-29	
MR R-IVW	59.27	45.30	-29.52	148.06	0.191	1.02E-32			-0.53	0.37	-1.27	0.20	0.155	2.12E-16			18.92	37.83	-55.22	93.06	0.617	1.03E-29	
MR median	-51.41	49.07	-147.59	44.76	0.295				-0.83	0.46	-1.73	0.07	0.072			-92.63	41.37	-173.72	-11.53	<b>0.025</b>			
MR robust	-20.58	101.53	-219.58	178.42	0.839				-0.63	0.38	-1.38	0.11	0.097			-62.86	83.26	-226.04	100.33	0.450			
MR-Egger	56.16	47.40	-36.75	149.06	0.236		6.13E-33		-0.55	0.39	-1.32	0.22	0.160		0.867	16.28	39.58	-61.29	93.86	0.681	0.815		
MR - 2SLS	77.80	30.05	18.91	136.70	<b>0.010</b>			1.28E-24	-0.39	0.29	-0.97	0.18	0.182			38.18	25.74	-12.26	88.62	0.138	2.84E-19		
<b>Females</b>																							
MR F-IVW	-27.98	8.57	-44.77	-11.19	<b>1.09E-03</b>	9.79E-32			-0.16	0.10	-0.36	0.04	0.126	4.27E-15			-24.89	7.19	-38.99	-10.80	<b>5.35E-04</b>	1.14E-25	
MR R-IVW	-27.98	15.17	-57.72	1.76	0.065	9.79E-32			-0.16	0.16	-0.46	0.15	0.308	4.27E-15			-24.89	12.10	-48.61	-1.18	<b>0.040</b>	1.14E-25	
MR median	-14.85	15.86	-45.93	16.23	0.349				-0.21	0.18	-0.57	0.14	0.234			-23.99	13.04	-49.56	1.58	0.066			
MR robust	-28.22	13.27	-54.22	-2.21	<b>0.033</b>				-0.15	0.15	-0.45	0.15	0.326			-22.01	10.77	-43.13	-0.89	<b>0.041</b>			
MR-Egger	-48.58	20.08	-87.93	-9.23	<b>0.016</b>		7.28E-31		-0.23	0.21	-0.64	0.17	0.259		0.582	-42.32	15.99	-73.66	-10.99	<b>8.12E-03</b>	0.098		
MR - 2SLS	-12.96	10.43	-33.41	7.49	0.214			1.09E-14	-0.15	0.12	-0.40	0.09	0.222			-13.25	8.67	-30.25	3.75	0.126	7.90E-12		

N SNPs included -> Males: Total = 152, TT = 57, SHBG = 116; Females: Total = 138, TT = 48, SHBG = 90.

N in 2SLS = Males = 139,433; Females = 133,662.