



Receptor-interacting protein 140 is a repressor of the androgen receptor activity.

Sophie Carascossa, Jérôme Gobinet, Virginie Georget, Annick Lucas, Eric Badia, Audrey Castet, Roger White, Jean-Claude Nicolas, Vincent Cavaillès, Stéphan Sj Jalaguier

► To cite this version:

Sophie Carascossa, Jérôme Gobinet, Virginie Georget, Annick Lucas, Eric Badia, et al.. Receptor-interacting protein 140 is a repressor of the androgen receptor activity.: AR repression by RIP140. Molecular Endocrinology -Baltimore-, 2006, 20 (7), pp.1506-18. 10.1210/me.2005-0286 . inserm-00145497

HAL Id: inserm-00145497

<https://inserm.hal.science/inserm-00145497>

Submitted on 11 May 2007

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Figure 1

A

IP: AR

Control

AR

AR + c-mycRIP140

c-mycRIP140

Input

IP

Input

IP

Input

IP

Input

IP

IB:
 α AR

IB:
 α c-myc

1 2

3

4

5

6

7

8

Figure 1

B




Figure 1





Figure 2

A



B




Figure 3




Figure 4






Figure 5



RIP140-wt (ng)	-	100	400	800	-	-	-	-	-	-	-	-	-
RIP140-PIDLS (ng)	-	-	-	-	100	400	800	-	-	-	-	-	-
RIP140-PINLS (ng)	-	-	-	-	-	-	-	100	400	800	-	-	-
RIP140-PILS (ng)	-	-	-	-	-	-	-	-	-	-	100	400	800

Figure 6

A



B




Figure 7

